

# V410 2K PTZ CONFERENCE CAMERA



10x Zoom



2K QHD Image



350° Pan  
Range



120° Ultra-  
Wide FOV



Privacy  
Protection



USB PNP

Bring your audience into the room with true 2K video using NEARITY V410 PTZ Conference Camera. Coupling a 10x combined zoom with 350° pan range, V410 brings conferences and meetings into perfect focus. A powerful plug-and-play solution for all your video conference needs.

## Product features

### Premium streaming video

Delivers crystal clear meetings and collaboration with a 2K QHD image, 120° ultra-wide angle lens, and 10x combined zoom.

### High dynamic range capable

HDR capability and automatic white adjustment ensures you stand out, even in poor lighting conditions.

### Designed for privacy

Automatically swivels from the current position to the rear to ensure enterprise and personal security when the meeting ends.

### Engineered elegance

Premium materials and modern design fit any business environment.

- 4x optical zoom + 2.5x digital zoom
- QHD 2K image
- Pan/Tilt range: pan  $\pm 175^\circ$ ; tilt  $\pm 30^\circ$
- 120° ultra-wide angle lens
- HDR supported
- Privacy protection supported
- 4 preset positions
- 2 Noise cancelling microphones

# NEARITY V410 Datasheet

Contents	Technical Specifications
Camera Characteristics	Aperture: F/1.66~3.03
	Sensor: Sony 1/2.8 inches CMOS, 4MP
	4x optical zoom + 2.5x digital zoom
	FOV(D):wide 120°
	FOV(H): wide 99°
	FOV(V): wide 64°
Video Features	Non-distortion lens
	Auto-exposure supported
	Automatic white balance supported
	3D noise suppression supported
	QHD 2K
	Aspect ratio 16:9
	YUV: max of 480P@30fps MJPEG: max of 1080P@30fps H264: max of 1440P@30fps
PTZ Features	Pan/Tilt range: pan: $\pm 175^\circ$ ; tilt: $\pm 30^\circ$
	Pan speed: $1.7^\circ \sim 100^\circ /s$
	Tilt speed: $0.7^\circ \sim 28^\circ /s$
	H & V flip supported
	4 preset positions
	Privacy protection supported
Audio Features	Built-in 2 noise cancelling microphones
	Effective pickup distance 1.5m
Power and Connectivity	DC 12V/1.5A
	USB 2.0 Type-C
	HDMI OUT
	RJ45 Ethernet
Physical Characteristics	Height: 166mm(6.5 inches) Width: 153mm(6 inches) Depth: 153mm(6 inches)
	Net weight: 926.5g(32.68 oz)
	Color: Misty Green
Optional Mounts	Tripod bracket / TV bracket / Wall bracket
Compatible OS	Windows/Mac/Linux
Packing List	1× V410 1× USB cable 1× Power adapter 1× Remote control 1× User manual

\*All tech specs are subject to change without notice.

## RICOH Subsidiaries:

---

**RICOH Argentina S.A.**  
[www.ricoh-americalatina.com/es-ar](http://www.ricoh-americalatina.com/es-ar)

**RICOH El Salvador, S.A. de C.V.**  
[www.ricoh-americalatina.com/es-sv](http://www.ricoh-americalatina.com/es-sv)

**RICOH Brasil S.A.**  
[www.ricoh-americalatina.com/pt-br](http://www.ricoh-americalatina.com/pt-br)

**RICOH Guatemala, S.A.**  
[www.ricoh-americalatina.com/es-gt](http://www.ricoh-americalatina.com/es-gt)

**RICOH Chile S.A.**  
[www.ricoh-americalatina.com/es-cl](http://www.ricoh-americalatina.com/es-cl)

**RICOH Mexicana, S.A.**  
[www.ricoh-americalatina.com/es-mx](http://www.ricoh-americalatina.com/es-mx)

**RICOH Colombia S.A.**  
[www.ricoh-americalatina.com/es-co](http://www.ricoh-americalatina.com/es-co)

**RICOH del Perú S.A.C.**  
[www.ricoh-americalatina.com/es-pe](http://www.ricoh-americalatina.com/es-pe)

**RICOH Costa Rica S.A.**  
[www.ricoh-americalatina.com/es-cr](http://www.ricoh-americalatina.com/es-cr)

**RICOH Panamá, S.A.**  
[www.ricoh-americalatina.com/es-pa](http://www.ricoh-americalatina.com/es-pa)

**RICOH Costa Rica S.A.**  
[www.ricoh-americalatina.com/es-do](http://www.ricoh-americalatina.com/es-do)

**RICOH Puerto Rico, Inc.**  
[www.ricoh-americalatina.com/es-pr](http://www.ricoh-americalatina.com/es-pr)

## Distribution Centers:

---

**RICOH Distribution Center  
Panamá**

**RICOH Operations Center  
Uruguay**  
[www.ricoh-americalatina.com/es-uy](http://www.ricoh-americalatina.com/es-uy)

## Authorized Dealers:

---

**BRC Printing, Belize**  
<http://brcprinting.com/>

**Cariburo, St. Martin (French)**

**Copiadoras Ecuatoriana CIA Ltda., Ecuador**  
<http://www.ecuacopia.com/>

**Copy Solution International S.A., Dom. Republic**  
<http://www.grupocsi.com.do/>

**D.O.S. 2009, Ltd, Jamaica**  
<http://dosjm.com/>

**Dima Ltda, Bolivia**  
<http://www.dima.com.bo/>

**Dimacofi S.A., Chile**  
<http://www.dimacofi.cl/>

**Diplux de Venezuela C.A., Venezuela**  
<http://www.diplux.com.ve/>

**Estratec S.A. de C.V., México**  
<http://www.estrateg.com/>

**External Market S.A., Argentina**  
<http://external-market.com.ar/>

**Hermoso y Vigil S.A., Nicaragua**  
<http://www.hermosoyvigil.com.ni/>

**J. Fleischman, Paraguay.**  
<http://www.jfleischman.com/>

**John Bull Business Center,  
Bahamas**

**Kirk Office Equipment,  
Cayman Islands**  
<https://kirkoffice.ky/document-solutions/>

**Amaranth Business Solutions Limited, Trinidad/Barbados/Jamaica**  
<http://www.amarantbusinessolutions.com>

**Microtech Sales and Service Ltd., Bahamas**

**Multipost, Curacao (Netherland Antilles)**  
<http://www.multipost.com/>

**Office Star, Haití**  
<http://offistar.net/store/>

**Plus Ultra, Uruguay**  
<http://www.plusultra.com.uy/>

**Sistemas Operativos Argentinos S.A., Argentina**  
<http://www.sistemas-operativos.com.ar/>

**Suministros Técnicos S.A., Honduras**  
<http://sumitec.hn.cp-34.webhostbox.net/>

**ITTI S.A.E.C.A, Paraguay**  
<https://www.itti.digital/>

### Ricoh Latin America, Inc.

Please contact us for more information at:



[www.ricoh-americalatina.com/en](http://www.ricoh-americalatina.com/en)



Certified ISO9001  
Certified ISO14001  
Certified ISO27001