

General Catalogue 2026



Empowering Independence



VARTA	4	Lights	54
VARTA AG		Night Cutter Pro Indestructible Pro Outdoor Sports	
Primary Batteries	12	Work Flex Aluminium Lights Home Lights	
Ultra Lithium Longlife Max Power Longlife Power		Day Light Multi LED Kids Light Special Lights	
Longlife Super Heavy Duty			
Rechargeable and Chargers	24	Portable Power	90
Power Recycled LCD Chargers		Energy Power Banks Wireless Power Banks	
Eco Chargers Recycled Easy Chargers		Mag Pro Wireless Power Banks	
		High Performance Power Banks Accessories	
Special Batteries	40	Mobile Power Solutions	
Lithium Coin Lithium Cylindrical Alkaline Special		Product Displays	108
Silver Coin		Individually Composed POS Solutions	
Hearing Aid Batteries	50	Assortment Overview	112

All mentioned products and specifications are subject to change. In case of non-availability of any product or item, VARTA AG cannot be held responsible. This catalogue is for international use. Some of the products shown may not be available in all countries. The pictures might be different to the original products. Technical changes and errors reserved.

Innovation, expertise, and quality –
"Made in Germany" for over 130 years

General Manager
International Sales & Marketing
Mark Munz



As a leading manufacturer of household batteries, we have stood for the highest quality, best performance and reliability for well over a century. VARTA combines the classic "Made in Germany" seal of quality with a high level of innovation and ambitious sustainability goals. We will continue this tradition in the coming years – with a clear commitment to Germany as our business location.

We have set ourselves high and ambitious goals in terms of sustainability. As a long-established company, VARTA stands for a responsible approach to the challenges of our time and the resources of future generations.

Our primary batteries, the flagship of our product range, which also includes power banks, flashlights, rechargeable batteries, and hearing aid batteries, can now be offered in completely plastic-free packaging. This has enabled us to reduce our overall plastic consumption by a further 15% compared to the previous year.

This means that we will reach an important milestone by the end of 2025: VARTA will have reduced its total plastic consumption by a full 50% over the past five years. We use more sustainable materials not only for packaging, but also for the production of our products themselves.

For example, our VARTA Recharge Accu Recycled now consists of 25% recycled materials, and even our Alkaline batteries contain 16% recycled materials, which is a unique selling point that sets us apart from our competitors.

The results of our Europe-wide communication campaign, which was launched in autumn 2024, are also impressive. We not only invested in further expanding our brand awareness level, but also underlined our goals and commitment

to sustainability by providing information on battery recycling and encouraging consumers to actively contribute through various initiatives. Only together we can make a difference, take responsibility, and make a decisive contribution to environmental protection through battery recycling. During the campaign period, we reached more than 1 billion contacts across Europe.

Our experienced teams of experts work with dedication and passion to continuously improve our products in all areas. Thanks to our strict quality standards in our own development laboratories and test facilities, we can guarantee the outstanding quality, reliability, and durability of our products in the future and constantly adapt them to new needs and market requirements.


As the leading manufacturer of batteries in Europe, we at VARTA Consumer Batteries constantly strive to develop the best possible solutions together with our customers. This is the only way we can continuously offer you the best service in the industry and respond to your individual needs.

With more than 135 years of experience, quality, and innovation, we continue to look forward to being your reliable partner in the coming year.


Join us in shaping the future of energy – sustainably and innovatively!

Global Presence

4.000 dedicated employees - around 200 of them in central research & development - are the foundation of VARTA's success.



Business Areas



VARTA AG produces and markets a comprehensive battery portfolio ranging from microbatteries, household batteries and energy storage systems to customised battery solutions for a wide range of applications. Through intensive research and development, VARTA AG sets global standards in many areas of lithium-ion technology and microbatteries, making it the recognised innovation leader in the key growth markets for lithium-ion technology and primary hearing aid batteries.

The VARTA AG Group currently employs around 4,000 people. With five production and manufacturing facilities in Europe and Asia as well as distribution centres in Asia, Europe and the USA, VARTA AG's operating subsidiaries are currently active in over 100 countries worldwide.

As a globally recognized technology leader, VARTA's constant drive is to define the future of battery technology with innovative products to enable a more independent life.

The demand for mobile energy sources is becoming ever higher. Most applications are becoming smaller, lighter and smarter. At the same time, the resources used so far are becoming scarcer and alternative processes and materials have to be found. Through continuous investment in research and development, VARTA aims to maintain this balance between resource-saving products and technological progress, relying on a wide range of research projects aimed at sustainable marketable products.

Quality "Made in Germany"


BATTERY EXPERTS
SINCE 1887



Our best Alkaline Batteries ever

Powerful, Sustainable, Independent



New energy mix with improved anode and cathode formula.
More active mass for more independence.



**Containing
recycled materials****



**Our Best
Alkaline Battery
Performance Ever!***

MADE IN GERMANY

* VARTA AA/Mignon/LR6 and AAA/Micro/LR03 alkaline batteries LONGLIFE Max Power, LONGLIFE Power, LONGLIFE. Performance in average according to IEC norm 60086-2 Ed. 14, 2022-01 vs. former product quality, based on internal testing. Performance may vary by device.

**16% recycling content in the steel parts of our AAA, AA, C, D Alkaline batteries. More sustainable materials are also being used in our products themselves. For example, our alkaline batteries already contain recycled raw materials.

Sustainability Strategy

The world is facing grave, environmental and social challenges. VARTA addresses these challenges by providing solutions empowering independent life and supporting the energy and mobility transition.

As a change-maker and an innovator operating in accordance with social, ecological, and economic values, VARTA strives to ensure fair and just business practices. Conserving resources through economical material use, recyclability, and reusability without compromising on product performance and safety is of utmost importance to VARTA.





**PATENTED
OPENING / CLOSING
MECHANISM**

Eco-Friendly Packagings

The reduction of plastic consumption is a big step towards a modern, sustainable future. Not least thanks to our new sustainable big packs, our Primary Batteries portfolio can now be offered completely plastic-free.

Next to that, our products in the Portable Power category, consisting of power banks and associated accessories, will be offered in 100% plastic-free cardboard boxes. For our Special Batteries packagings we managed to use up to 60% less plastic in child-resistant packagings and thus reduce plastic to the minimum possible level while ensuring child safety in accordance with legal requirements and (IEC) industry standards.

In total we have already reduced the plastic consumption in our production by 35% since 2020 and aim to increase this proportion to over 50% by the end of 2025. However, we not only use more sustainable materials for the packagings, but also for the manufacturing of the products themselves. For example, our VARTA Recharge Accu Recycled is now made from 25% recycled materials.

All this demonstrates VARTA's long-term commitment to a sustainable packaging and product strategy.

PRIMARY BATTERIES
PRIMARY BATTERIESRECHARGEABLE
RECHARGEABLESPECIAL BATTERIES
SPECIAL BATTERIESHEARING AID
HEARING AID
BATTERIESLIGHTS
LIGHTSPORTABLE POWER
PORTABLE POWERPRODUCT DISPLAY
PRODUCT DISPLAY
SYSTEMSASSORTMENT
ASSORTMENT
OVERVIEW



Scan for more
information

www.varta-ag.com/en/batteries

Energy for your Independence

VARTA Primary Batteries

Live your life as independent as you want to – with VARTA batteries. Our selection of batteries is designed to provide you with the most efficient power for your everyday devices, enabling a new level of flexibility. From cameras and toys to remote controls and more we offer the optimal power solution for your independence.



Ultra Lithium

Independent in every situation

With up to 38 % reduced weight in comparison to alkaline VARTA Ultra Lithium batteries are perfect for sport and outdoor usage and work exceptionally well under extreme conditions. You can rely on them whether you're playing with your kids using walkie talkies or take pictures with your digital camera on an adventure trip with extreme temperatures. They also work perfectly with safety devices like smoke detectors. Highest quality for high-energy demands to keep you independent in all areas of life.





+60 °C
-20
**WITHSTANDS
EXTREME
TEMPERATURES**

Up to **38%**  reduced weight
in comparison to alkaline:
perfect for sport and outdoor usage.




VARTA Ultra Lithium batteries are available in different sizes so that the maximum performance can be reached for every type of application.

Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
6103	1.5	Lithium	-	44.5	-	10.5	7.7	FR10G445	Micro, AAA
6106	1.5	Lithium	-	50.5	-	14.5	14.5	FR14505	Mignon, AA
6122	9.0	Lithium	26.5	48.5	17.5	-	41.0	-	9V, E-Block

For extreme outdoor conditions
and high-tech devices



Details on page 113

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Longlife Max Power

Maximum power for
more independence

Many digital devices such as a digital camera or a gaming controller need precise energy in changing requirements. VARTA Longlife Max Power is the most powerful of the VARTA batteries.





VARTA Longlife Max Power batteries are available in different sizes so that the maximum performance can be reached for every type of application.


Our Best
Alkaline Battery
Performance Ever! **



Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
4703	1.5	Alkaline	-	44.5	-	10.5	11.5	LR03	Micro, AAA, MN2400, Ministilo
4706	1.5	Alkaline	-	50.5	-	14.5	23.8	LR6	Mignon, AA, MN1500, Stilo
4714	1.5	Alkaline	-	50.0	-	26.2	65.8	LR14	Baby, C, MN1400, ½ Torcia
4720	1.5	Alkaline	-	61.5	-	34.2	136.9	LR20	Mono, D, MN1300, Torcia
4722	9.0	Alkaline	26.5	48.5	17.5	-	46.0	6LR61	E-Block, PP3, MN1604, Transistor

For digital devices with changing energy requirements



*AA, AAA, C and D batteries are produced in Germany.
**VARTA AA/Mignon/LR6 and AAA/Micro/LR03 alkaline batteries LONGLIFE Max Power, LONGLIFE Power, LONGLIFE.
Performance in average according to IEC norm 60086-2 Ed. 14, 2022-01 vs. former product quality, based on internal testing.
Performance may vary by device.

Longlife Power

Stay flexible with efficient power

If you need as much power as you can get – this is the one! VARTA Longlife Power is developed especially for devices with high energy consumption. Stay independent with high performance power when using power hungry devices, such as remote controlled toys, computer equipment or LED flashlights.





VARTA Longlife Power batteries are available in different sizes so that the maximum performance can be reached for every type of application.


Our Best Alkaline Battery Performance Ever! **



Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
4903	1.5	Alkaline	-	44.5	-	10.5	11.4	LR03	Micro, AAA, MN2400, Ministilo
4906	1.5	Alkaline	-	50.5	-	14.5	23.8	LR6	Mignon, AA, MN1500, Stilo
4914	1.5	Alkaline	-	50.0	-	26.2	65.8	LR14	Baby, C, MN1400, ½ Torcia
4920	1.5	Alkaline	-	61.5	-	34.2	136.9	LR20	Mono, D, MN1300, Torcia
4922	9.0	Alkaline	26.5	48.5	17.5	-	46.0	6LP3146	E-Block, PP3, MN1604, Transistor
4912	4.5	Alkaline	62.0	67.0	22.0	-	174.0	3LR12	Normal, MN1203

For devices with high energy consumption



*AA, AAA, C and D batteries are produced in Germany.
**VARTA AA/Mignon/LR6 and AAA/Micro/LR03 alkaline batteries LONGLIFE Max Power, LONGLIFE Power, LONGLIFE.
Performance in average according to IEC norm 60086-2 Ed. 14, 2022-01 vs. former product quality, based on internal testing.
Performance may vary by device.

Longlife

Flexibility for the long run

Keep all your liberties every day with VARTA Longlife, our long-lasting batteries for devices with constant and low energy need, such as remote controls, wall clocks or radios. Standing out with long run times and reliable energy delivery to keep you independent in every second.





VARTA Longlife batteries are available in different sizes so that the maximum performance can be reached for every type of application.


Our Best
Alkaline Battery
Performance Ever! **



Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
4103	1.5	Alkaline	-	44.5	-	10.5	11.3	LR03	Micro, AAA, MN2400, Ministilo
4106	1.5	Alkaline	-	50.5	-	14.5	23.2	LR6	Mignon, AA, MN1500, Stilo
4114	1.5	Alkaline	-	50.0	-	26.2	65.8	LR14	Baby, C, MN1400, ½ Torcia
4120	1.5	Alkaline	-	61.5	-	34.2	135.1	LR20	Mono, D, MN1300, Torcia
4122	9.0	Alkaline	26.5	48.5	17.5	-	46.0	6LP146	E-Block, PP3, MN1604, Transistor

For low-drain devices



*AA, AAA, C and D batteries are produced in Germany.
**VARTA AA/Mignon/LR6 and AAA/Micro/LR03 alkaline batteries LONGLIFE Max Power, LONGLIFE Power, LONGLIFE.
Performance in average according to IEC norm 60086-2 Ed. 14, 2022-01 vs. former product quality, based on internal testing.
Performance may vary by device.

Super Heavy Duty

Energy for your basic needs

Wall clocks, alarm clocks or remote controls – VARTA Super Heavy Duty zinc carbon batteries provide you with reliable performance for all sorts of low-energy devices.






VARTA Super Heavy Duty batteries are available in different sizes so that the maximum performance can be reached for every type of application.

Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
2003	1.5	Zinc Carbon	-	44.5	-	10.5	7.8	R03	Micro, AAA
2006	1.5	Zinc Carbon	-	50.5	-	14.5	16.8	R6P	Mignon, AA
2014	1.5	Zinc Carbon	-	50.0	-	26.2	47.1	R14P	Baby, C
2020	1.5	Zinc Carbon	-	61.5	-	34.2	99.2	R20P	Mono, D
2022	9.0	Zinc Carbon	26.5	48.5	17.5	-	36.0	6F22	E-Block, 9V
2012	4.5	Zinc Carbon	62.0	67.0	22.0	-	109.0	3R12P	Normal, 4.5V

For devices with basic energy requirements





Innovative products, supreme performance

VARTA rechargeable batteries & chargers

Recharge and contribute to a better tomorrow – with VARTA rechargeables. Our assortment combines innovative products with market-leading performance to provide the most efficient power supply for a broad scope of applications. VARTA rechargeable batteries and chargers are the best choice for consumers enabling them to contribute to a more sustainable future and to save money at the same time.



Scan for more
information

www.varta-ag.com/en/rechargeables



Recharge Accu Power

Powerful energy

The most powerful product line with the widest assortment of rechargeable batteries offering superior performance for any application.





READY-TO-USE

SAVE
MONEY

VARTA Recharge Accu Power rechargeable batteries provide the best energy solution for any device of everyday usage. From low drain devices with basic energy needs up to high drain devices with highest energy requirements.

Recharge Accu Power

Type	Voltage (V)	Electro-chemical	Typical capacity (mAh)	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
56743	1.2	NiMH	550	-	44.5	-	10.5	12.0	HR03	Micro, AAA
56703	1.2	NiMH	800	-	44.5	-	10.5	13.0	HR03	Micro, AAA
05703	1.2	NiMH	1000	-	44.5	-	10.5	14.0	HR03	Micro, AAA
56746	1.2	NiMH	1350	-	50.5	-	14.5	24.0	HR6	Mignon, AA
56706	1.2	NiMH	2100	-	50.5	-	14.5	30.0	HR6	Mignon, AA
05716	1.2	NiMH	2600	-	50.5	-	14.5	31.0	HR6	Mignon, AA
56714	1.2	NiMH	3000	-	50.0	-	26.2	64.0	HR14	Baby, C
56720	1.2	NiMH	3000	-	61.5	-	34.2	70.0	HR20	Mono, D
56722	8.4	NiMH	200	26.5	48.5	17.5	-	36.0	HR9V	9V, E-Block



Recharge Accu Phone

58397	1.2	NiMH	550	-	44.5	-	10.5	10.0	HR03	Micro, AAA
58398	1.2	NiMH	800	-	44.5	-	10.5	12.0	HR03	Micro, AAA
58399	1.2	NiMH	1600	-	50.5	-	14.5	26.0	HR6	Mignon, AA



Recharge Accu Solar

56733	1.2	NiMH	550	-	44.5	-	10.5	10.0	HR03	Micro, AAA
56736	1.2	NiMH	800	-	50.5	-	14.5	16.0	HR6	Mignon, AA

Details on pages 162-167

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Recharge Accu Recycled

Sustainable energy

The most innovative and environmentally friendly product line made from 25% recycled materials.





The product line combines best battery performance including very low self-discharge with high sustainable value due to 25 % recycled materials.
The rechargeable batteries come 'ready to use' and in plastic-free packaging.



Logistical Data

Type	Voltage (V)	Electro-chemical	Typical capacity (mAh)	Height (mm)	Diameter (mm)	Weight (g)	IEC	Others
56813	1.2	NiMH	800	44.5	10.5	13.0	HR03	Micro, AAA
56816	1.2	NiMH	2100	50.5	14.5	30.0	HR6	Mignon, AA

Chargers

Designed for highest demands

VARTA's wide assortment ranges from basic chargers with best value for money to high-end products with sustainable housing materials and innovative technologies.



Scan for
more information





3
YEARS
GUARANTEE

Designed with
ADVANCED SAFETY TECHNOLOGY

All chargers tested & qualified against international standards



**TIMER
CUT OFF**

A safety timer is triggered after a specified time, regardless of the charging status.



**MINUS DELTA V
CUT OFF**

The charger detects if the battery is fully charged by measuring the voltage (-Delta V) and stops the charging process.



**BAD CELL &
ALKALINE
DETECTION**

Detection of faulty, unsuitable or incorrectly inserted battery types.



**TEMPERATURE
CONTROL**

If the battery temperature exceeds a certain limit the chargers switches off the charging process automatically.



**SHORT CIRCUIT
PROTECTION**

Defective and short circuited cells will not be charged and not harm the charger.




**WRONG POLARITY
PROTECTION**

Protection against incorrectly inserted cells.

LCD Chargers

Ease of use and modern design

Premium chargers with single slot charging, USB-C interface and Advanced Safety Technology for best charging results.



LCD Display indicates state of charge



INCL.
USB-C CABLE
& ADAPTER

LCD Ultra Fast Charger⁺

Type 57685

- Charges up to 4 AA, AAA NiMH batteries
- Convenient operation via USB-C Input
- Advanced safety features

*Based on 2 AA 1600 mAh. Approximately 70% of full charge. Performance may vary.

3 MODES



QUICK CHARGE
CHARGE
REFRESH



INDIVIDUAL
CHARGING
CHANNELS



SMART
SWITCH
OFF



TRICKLE
CHARGE

Available in the following versions:

- with 4x AA 2100 mAh 56706



LCD Plug Charger⁺

Type 57687

- Charges up to 4 AA, AAA or 1x 9 V NiMH batteries
- USB A Out: for charging external devices
- Advanced safety features



INDIVIDUAL
CHARGING
CHANNELS



SMART
SWITCH
OFF

Available in the following versions:

- with 4x AA 2100 mAh 56706



LCD Smart Charger+

Type 57684

- Charges up to 4 AA, AAA NiMH batteries
- USB A Out: for charging external devices
- Advanced safety features
- Convenient operation via USB-C Input



INCL.
USB-C
CABLE



INDIVIDUAL
CHARGING
CHANNELS



SMART
SWITCH
OFF

2 MODES



CHARGE
REFRESH



TRICKLE
CHARGE

Available in the following versions:

- with 4x AA 2100 mAh 56706



LCD Multi Charger+

Type 57681

- Charges up to 8 AA, AAA NiMH batteries
- Advanced safety features
- Convenient operation via USB-C Input



INCL.
USB-C
CABLE



INDIVIDUAL
CHARGING
CHANNELS



SMART
SWITCH
OFF

Available in the following versions:

- without batteries



LCD Universal Charger+

Type 57688

- Charges up to 4 AA, AAA, C, D or 1x 9V NiMH batteries
- USB A Out: for charging external devices
- Advanced safety features
- Convenient operation via USB-C Input



INCL.
USB-C
CABLE



INDIVIDUAL
CHARGING
CHANNELS



SMART
SWITCH
OFF

Available in the following versions:

- without batteries



LCD Dual Tech Charger

Type 57676

- Charges up to 4 Li-Ion or NiMH batteries
- 4 modes for NiMH: charge, discharge, capacity test and refresh
- USB A Out: for charging external devices
- Advanced safety features



**COMPATIBLE
WITH
NiMH & Li-Ion**



**INDIVIDUAL
CHARGING
CHANNELS**



**SMART
SWITCH
OFF**

Available in the following versions:

- without batteries



LCD Charger

Type 57070

- Charges 2 or 4 AA, AAA NiMH batteries
- LCD display indicates charging status
- USB, AC and 12V Car Adapter included



**SMART
SWITCH
OFF**



**TRICKLE
CHARGE**

Available in the following versions:

- with 4x AA 2600 mAh 5716
- without batteries

Details on pages 170-171

Eco Chargers Recycled

This is how attractive
sustainability can be

The most eco-friendly product line in the market!
Sustainable chargers with housing made from
recycled materials.



75% RECYCLED
HOUSING MATERIALS






Eco Charger Multi Recycled

Type 57682

- Charges up to 8 AA, AAA NiMH batteries
- USB-C Input
- Green LEDs for charging indication
- Advanced safety features



**INCL.
USB-C
CABLE**

**INDIVIDUAL
CHARGING
CHANNELS**

**SMART
SWITCH
OFF**

**TRICKLE
CHARGE**

Available in the following versions:

- with 8x AA 2100 mAh
- without batteries



**SUSTAINABLE
IN EVERY DETAIL!**


Included rechargeable batteries
contain **25%** recycled content



Eco Charger Pro Recycled

Type 57683

- Charges up to 4 AA, AAA NiMH batteries
- USB-C Input
- Green LEDs for charging indication
- Advanced safety features



**INCL.
USB-C
CABLE**

**INDIVIDUAL
CHARGING
CHANNELS**

**SMART
SWITCH
OFF**

**TRICKLE
CHARGE**

Available in the following versions:

- with 4x AA 2100 mAh
- with 4x AAA 800 mAh
- without batteries

Easy Chargers

Offering best value for money

Modern chargers with reliable features for daily use that are easy to handle, compact and convenient.





SMART
SWITCH
OFF



INCL.
USB-C
CABLE



Available in the following versions:

- without batteries

Universal Charger

Type 57658

- Charges 2 or 4 AA, AAA, C, D or 1x 9V NiMH batteries
- USB-C Input
- Green LEDs for charging indication
- Advanced safety features



SMART
SWITCH
OFF



INCL.
USB-C
CABLE



Available in the following versions:

- without batteries

Multi Charger

Type 57659

- Charges 2,4,6 or 8 AA, AAA NiMH batteries
- USB-C Input
- Green LEDs for charging indication
- Advanced safety features



SMART
SWITCH
OFF

Available in the following versions:

- with 2x AAA 800 mAh 56703
- with 2x AA 2100 mAh 56706
- without batteries

Mini Charger

Type 57656

- Charges 2 AA, AAA NiMH batteries
- Green LEDs for charging indication
- Advanced safety features



SMART
SWITCH
OFF

Available in the following versions:

- with 4x AA 2100 mAh 56706

Plug Charger

Type 57657

- Charges 2 or 4 AA, AAA NiMH batteries
- Green LEDs for charging indication
- Advanced safety features

Special Batteries

Comprehensive high-quality assortment


VARTA offers the most comprehensive premium range of lithium, silver and alkaline special batteries on the market. Focused on the energy requirements of standard applications like key fobs, cameras, watches as well as all Smart Home applications and many more modern electronic consumer devices.





Scan for
more information

www.varta-ag.com/en/special-batteries



Lithium Coin

Empower the smart world of tomorrow

VARTA premium Lithium coin cells have been designed to provide reliable power for small electronic devices and are perfect for various basic & smart applications like key fobs, remote controls, scales, smart home devices and many more small electronic devices. Best quality and duration guaranteed.





UP TO 80% MORE ENERGY*

VARTA Lithium Coin cells are available in a wide variety of cell sizes and provide highest performance for pulse and continuous discharge applications. Best quality and extra runtime guaranteed for the most demanded sizes.

Our Best Performing CR2032 Ever!**



CHILD SAFETY PACKAGING

VARTA Lithium Coin cell blisters are especially designed to meet the highest safety standards for a child proof packaging. We developed and patented safe and easy opening cavities to avoid short-circuiting the cell and accidents by using scissors. Our new blister card packaging structure comes with 60% less plastic and more than 80% recycled material.**



TOP 5 most demanded Lithium Coin cells***:

Battery size	Type	Voltage (V)	Electro-chemical	Height (mm)	Diameter (mm)	Weight (g)	IEC
CR2032	06032	3.0	Lithium	3.2	20.0	3.0	CR2032
CR2025	06025	3.0	Lithium	2.5	20.0	2.5	CR2025
CR2016	06016	3.0	Lithium	1.6	20.0	1.8	CR2016
CR2430	06430	3.0	Lithium	3.0	24.5	4.0	CR2430
CR2450	06450	3.0	Lithium	5.0	24.5	6.2	CR2450

For devices with high energy requirements in continuous- and pulse discharge



*vs. IEC 60086-2 Ed. 14.0 electronic key test MAD for CR2032. Performance may vary according to use.
**VARTA CR2032 performance in average according to IEC norm 60086-2 Ed. 14, 2025-06 vs. former product quality, based on internal testing. Performance may vary by device.
***60% less plastic vs. prior packaging.
****internal EMEA EIS Analysis for all packaging variants.

Lithium Cylindrical

Capture every moment with precise energy

VARTA Lithium Cylindrical are professional lithium round cells with long-lasting, supreme performance. The market potential for these batteries rises enormous, due to the new use in Smart Applications. We offer the excellent energy source to protect your family and to capture every moment of your life.





**+60
°C
-20**

**WITHSTANDS
EXTREME
TEMPERATURES**



**UP
TO 35%
MORE
ENERGY***

VARTA Lithium Cylindrical cells are designed to withstand extreme temperatures while delivering quick and reliable energy supply. The batteries are available in different sizes for the operation in high-tech and photo applications. Perfectly suitable for today's modern life and for the use in Smart Home & Smart Security devices, ideal for cameras, photo flashes and flashlights.

Most demanded Lithium Cylindrical cells:

Battery size	Type	Voltage (V)	Electro-chemical	Typical capacity (mah)	Width (mm)	Height/depth (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC
2CR5	06203	6.0	Lithium	1400	17.0	45.0	34.0	-	42.0	2CR5
CR-P2	06204	6.0	Lithium	1450	19.5	36.0	35.0	-	38.0	CR-P2
CR123A	06205	3.0	Lithium	1430	-	34.5	-	17.0	16.0	CR17345
CR2	06206	3.0	Lithium	930	-	27.0	-	15.6	11.0	CR15H270
CR1/2AA	06127	3.0	Lithium	800	-	25.1	-	14.5	9.0	CR14250

Excellent performance for the highest demands.



*vs. IEC 60086-2 Ed. 14.0 photo test MAD for CR123A. Performance may vary according to use.

Details on pages 184-185

Alkaline Special

High energy for basic & smart devices


VARTA offers the widest premium assortment in alkaline special batteries - designed to provide maximum safety in combination with reliable power for various small electronic devices of the daily life.





UP TO **95%
MORE
ENERGY***

The VARTA Alkaline Special Batteries are premium, mercury-free batteries of special formats, which are ideal for electronic devices requiring a sustained energy supply. Perfect to power your daily energy demand in applications like toys, medical devices, calculators, remote controls and many more small electronic devices. Best quality and duration guaranteed.



**MERCURY
FREE**



**LEAK
PROOF**

All products are mercury free, leak-proof and compliant with the latest button cell legislation.

TOP 5 most demanded Alkaline Special Batteries*:

Battery size	Type	Voltage (V)	Electro-chemical	Height (mm)	Diameter (mm)	Weight (g)	IEC
V13GA	04276	1.5	Alkaline	5.4	11.6	2.0	LR44
V23GA	04223	12	Alkaline	28.5	10.3	8.1	8LR932
N/Lady	04001	1.5	Alkaline	30.2	12.0	10.0	LR1
V10GA	04274	1.5	Alkaline	3.05	11.6	1.2	LR54
V27A	04227	12	Alkaline	28.2	8.0	4.85	-

A wide assortment of Alkaline Special Batteries to power devices of the daily use.



*vs. IEC 60086-2 Ed. 14.0 service output test MAD for V13GA. Performance may vary according to use.
**Internal EMEA EIS Analysis for all packaging variants

Silver Coin


The comprehensive assortment
keeps you up to date

The VARTA Silver Coin cells are well known as watch batteries.
The wide variety of battery sizes deliver reliable, long-lasting
energy and meet highest quality and performance demands.





VARTA Silver Oxide Batteries supply constant and stable energy, withstand shock, vibration and acceleration. The cells are mercury-free and suitable for a broad scope of watches, toys, calculators, remote controls and to power all your other small and everyday precision electronic equipment.



MERCURY
FREE



LEAK
PROOF



STABLE
VOLTAGE

All products are mercury free and compliant with the latest button cell legislation. The premium batteries are leak-proof and have a constant and stable voltage level.

VARTA Watch Batteries are available in different packaging formats to meet individual requirements of retailers and wholesalers.



TOP 5 most demanded Silver Coin Batteries*:

Battery size	Type	Voltage (V)	Electrochemical System	Height (mm)	Diameter (mm)	Weight (g)	IEC
V377	00377	1.55	Silver oxide	2.6	6.8	0.34	SR66
V364	00364	1.55	Silver oxide	2.15	6.8	0.31	SR60
V371	00371	1.55	Silver oxide	2.1	9.5	0.57	SR69
V395	00395	1.55	Silver oxide	2.7	9.5	0.68	SR57
V392	00392	1.55	Silver oxide	3.6	7.9	0.62	SR41

Silver Coin cells to power various devices



*Internal EMEA EIS Analysis for all packaging variants

Details on pages 190-192

Hearing Aid Batteries

The ideal power supply
for hearing aid devices

The VARTA Hearing Aid Batteries assortment offers premium zinc-air button cells which are the ideal power supply for standard and the latest high-performance hearing aid devices.



Scan for
more information

www.varta-ag.com/en/consumer/product-categories/hearing-aid-batteries




Hearing Aid Batteries

Maximum performance
for your independence


VARTA Hearing Aid Batteries provide reliable, long-lasting energy with highest quality and superior performance so hearing aid users are able to hear clearly and enjoy their independence.





UP TO **110%**
MORE ENERGY*

The premium VARTA Hearing Aid Batteries provide stable voltage for wireless streaming, enabling a more efficient connection and clear sound with audio devices. All VARTA hearing aid batteries are mercury-free and have a high-quality, leak-proof design ensuring safe performance.



MERCURY
FREE



WIRELESS
APPROVED



STABLE
VOLTAGE

PACKAGING DESIGN

The packaging of the VARTA Hearing Aid Batteries comes with a premium appearance and attracts attention at first sight. The boldly communicated size designation and strong color coding on the blister and battery tab help consumers to find the right battery. In addition, the convenient storage pack with turnable dial and recloseable battery door is very easy to handle.



Logistical Data

Battery size	Type	Voltage (V)	Electro-chemical	Height (mm)	Diameter (mm)	Weight (g)	IEC
312	24607	1.45	Zinc-air	3.6	7.9	0.5	PR41
13	24606	1.45	Zinc-air	5.4	7.9	0.8	PR48
10	24610	1.45	Zinc-air	3.6	5.8	0.3	PR70
675	24600	1.45	Zinc-air	5.4	11.6	1.8	PR44

*up to 110% more energy for hearing aid battery type 312 vs. IEC 60086-2 Ed. 14.0 wireless streaming test MAD. Performance may vary according to use.

Details on pages 198-199

Lights

Brighten up your life

VARTA lights - your everyday companion. Our lights are the perfect choice no matter the occasion. We offer high quality products for work situations, family activities as well as for outdoor sports and travelling. For more independence at home or on the go.





Scan for more
information

www.varta-ag.com/en/lights



Flashlights

Our flashlights are perfectly complementing
our battery assortment.






ADVANCED
SAFETY
TECHNOLOGY

3
YEARS
GUARANTEE


Reliability and durability are the #1 criteria for flashlight purchases - and VARTA lights are perceived particularly reliable¹.

Safe and reliable products tested with renowned testing institutes and claims following international ANSI standards. Reliable lights in proven VARTA Quality – 3 years or even more years guaranteed.



WIDE ASSORTMENT

We offer a comprehensive range with different types of lights: flashlights, headlights, lanterns, motion sensor lights, special working formats etc.



CLAIMING

Our packaging is focusing on key features: Lumens, runtime and beam range for more consumer convenience.



PERFORMANCE

Our lights come along with well thought-out features for convenient user experience e. g. shock proof, water resistance, different light modes...

¹VARTA Online Consumer Study, EU 2017, 2019

Night Cutter Pro

Premium materials – premium features

The Night Cutter Pro series is engineered for those who demand exceptional performance and reliability. Delivering powerful lumen output and extraordinary beam range, these flashlights truly "cut" through the night.

5 LIGHT MODES

TURBO | HIGH | MID | LOW | STROBE

PRECISION FOCUS

AVIATION ALUMINIUM


BATTERY INDICATION LED

USB C-INPUT





DUST AND
WATERPROOF



IMPACT
RESISTANT



USB-C INPUT
RECHARGEABLE



ADVANCED
SAFETY TECHNOLOGY

Night Cutter Pro F40R
Type 18922



2000 LUMENS



350 METERS



48 HOURS



POWER BANK
(5200 mAh)



INCL. LANYARD

Night Cutter Pro F30R
Type 18921



1500 LUMENS



280 METERS



24 HOURS

Night Cutter Pro F20R
Type 18920



1000 LUMENS



200 METERS



22 HOURS



Glass breaking bezel:
Bezel allows for quick and safe glass-
breaking in critical situations.

Night Cutter Pro
F20R Tactical
Type 18923



1000 LUMENS



200 METERS



22 HOURS



INCL. LANYARD
+ BELT HOLSTER

Details on page 200

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Indestructible Pro

Tougher than life

No matter how big the challenges are, the VARTA Indestructible Pro lights will survive. Due to their rugged construction with rubberized elements, anodized aluminium, water, dust and shock proof features they are extremely robust and are designed for maximum durability. This way they can provide high light output even under toughest circumstances.

7
YEARS
GUARANTEE



varta-ag.com/en/tougherthanlife



**DUST AND
WATERPROOF**



**UP TO 9M
SHOCK PROOF**



**2 LIGHT
LEVELS**



**ANODIZED
ALUMINIUM**

Indestructible F30 Pro

Type 18714



750 LUMENS



285 METERS



75 HOURS



6x AA

Batteries included

- A shock-absorbing rubberized head and end cap
- Impact resistant lens and reflector
- Impact resistant rating IK08 (IEC 62262)
- Bright high performance LED



Indestructible F20 Pro

Type 18711



400 LUMENS



160 METERS



55 HOURS



2x AA

Batteries included

Indestructible F10 Pro

Type 18710



350 LUMENS



183 METERS



40 HOURS



3x AAA

Batteries included



Details on page 201

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Indestructible BL20 Pro

Type 18751

 **450 LUMENS**

 **450 METERS**

 **100 HOURS**

 **6x AA**
Batteries included

- Extremely robust beam lantern with shock-absorbing rubberized elements
- Impact resistant lens and reflector
- Impact resistant rating IK08 (IEC 62262)
- Bright high performance LED


UP TO 4M
SHOCK PROOF


2 LIGHT
LEVELS


IP 54



Indestructible H20 Pro

Type 17732

 **370 LUMENS**

 **100 METERS**

 **23 HOURS**

 **3x AAA**
Batteries included

- Extremely robust flashlight with shock-absorbing rubberized elements
- Impact resistant lens and reflector
- Impact resistant rating IK08 (IEC 62262)
- Bright high performance LED
- 2 light levels: high and low
- Adjustable washable head strap with middle strap


UP TO 3M
SHOCK PROOF


SWIVEL
HEAD


IP 67



Details on pages 201-202

Indestructible L30 Pro

Type 18761

-  **450 LUMENS**
-  **20 METERS**
-  **360 HOURS**
-  **6x AA**
Batteries **NOT** included

- Impact resistant lens and reflector
- Impact resistant rating IK08 (IEC 62262)
- Night light mode to be activated by double click
- 360° light distribution
- Extra-wide and convenient handle on the top

-  **UP TO 4M SHOCK PROOF**
-  **4 LIGHT LEVELS**
-  **HOOK MOUNT**
-  **IP 67**



Indestructible Key Chain Light

Type 16701

-  **12 LUMENS**
-  **10 METERS**
-  **3.5 HOURS**
-  **1x AAA**
Battery included

- Rubber head and end cap for maximum durability
- Including key ring

-  **UP TO 9M SHOCK PROOF**
-  **WATER RESISTANT**



Details on page 202

Outdoor Sports

Let's go outdoors

VARTA's Outdoor Sports Lights series offer the perfect light for every adventure. Great outdoor features such as water and impact resistance, bright colours and useful features are characteristic for these lights. Modern lanterns enable to create cosy atmosphere with multi color LEDs or act as a perfect companion with an integrated emergency power bank.





Outdoor Sports Ultralight H30R

Typ 18631



- Rechargeable Li-Polymer accu
- Charging and battery indicator light (red, yellow, green)
- Adjustable and washable head strap
- Separable mounting clip included for use as clip light
- Key lock mode – protection against incidental turn on

Details on page 203

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Outdoor Sports H10 Pro

Type 16650



100 LUMENS



45 METERS



35 HOURS



3x AAA

Batteries included

- Stylish sport accessory for outdoor adventures
- Convenient and high wearing comfort due to adjustable, removable and washable head strap



**WATER
RESISTANT**



**SWIVEL
HEAD**



**2 LIGHT
LEVELS**



Outdoor Sports H20 Pro

Type 17650



200 LUMENS



50 METERS



52 HOURS



3x AAA

Batteries included

- Including red LED, non-glaring, for night vision
- Low battery indicator in red LED



DIMMABLE



**SPOT, FLOOD &
COMBINED MODE**



**UP TO 2M
SHOCK PROOF**



Details on page 203



1.5 M
IMPACT
RESISTANT



IP 54



USB TYPE C

⌚ 2.5 h



CRANKING

⌚ 1 MIN = ☀ 15 MIN (LOW MODE)



Dynamo Lantern L10RH

Type 17670



50 LUMENS



6 METERS



12 HOURS

- Two charging options:
via cranking or via USB Type C
- Warm white and red LED
- 3 light modes (High/Low/Night)
- Flexible installation via integrated hook

Details on pages 204-205



Bottle opener at end cap

Outdoor Sports F30

Type 18629

 **350 LUMENS**
 **145 METERS**
 **120 HOURS**

 **3x C**
 Batteries included

 **UP TO 2M SHOCK PROOF**  **WATER RESISTANT**  **2 LIGHT LEVELS**  **GLOW IN THE DARK**

- High performance LED
- Anodized aluminium (Type II)
- Comfortable rubber grip handle
- Lanyard included

Outdoor Sports F20

Type 18628

 **290 LUMENS**
 **153 METERS**
 **33 HOURS**

 **2x AA**
 Batteries included

Outdoor Sports F10

Type 17627

 **250 LUMENS**
 **130 METERS**
 **40 HOURS**

 **3x AAA**
 Batteries included



Details on page 204

Outdoor Lantern L20R

Type 17550

-  **420 LUMENS**
-  **16 METERS**
-  **44 HOURS**

- 3 Light Modes (High/Medium/Low)
- Designed for the outdoors
- Rubber elements
- Exchangeable 18650 cell
- Battery/charging indication LED
- Plastic-free carton box



Available
as of
Spring/Summer
2026



Available
as of
Spring/Summer
2026

Outdoor Lantern L10

Type 16550

-  **170 LUMENS**
-  **10 METERS**
-  **70 HOURS**

- 2 Light Modes (High/Low)
- Designed for the outdoors
- Rubber elements
- Plastic-free carton box



4x AA
Batteries **NOT** included

Details on page 205

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Work Flex®

From zero to hero with
our Work Flex lights

The Work Flex range offers different lights for every work situation. Splash-water and dust protection enable working in almost all DIY environments. With their various features they are reliable helpers for all DIY-fans.



Work Flex® Stadium Light

Type 18647

 **1450 LUMENS**

 **45 METERS**

 **15 HOURS**



**RECHARGEABLE
ACCU**



**INCL. MICRO
USB CABLE**

- COB LED technology
- Low battery indicator light (red and blue)
- Adjustable stand (7 positions) for hanging or standing
- Integrated hook in handle



**UP TO 2M
SHOCK PROOF**



**3 LIGHT
LEVELS**



**ROTATING
HANDLE**



**UP TO 2M
SHOCK PROOF**



**8 LIGHT
LEVELS**



IP 54



Work Flex® Motion Sensor H20

Type 18648



150 LUMENS



78 METERS



20 HOURS



3x AAA
Batteries included



**MOTION
SENSOR**

- COB LED technology and 3W LED
- Adjustable washable head strap with middle strap
- Swiveling head for ideal illumination of the surroundings

Details on pages 206-207

PRIMARY BATTERIES

RECHARGEABLE


SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW



**2 LIGHT
MODES**



**WATER
RESISTANT**



**SHOCK
PROOF**



**CLIP &
MAGNET**

Work Flex® Pocket Light

Type 17647



110 LUMENS



40 METERS



12 HOURS



3x AAA

Batteries included

- COB LED technology for ideal area illumination
- Frosted lens for better diffusion of light - non-glaring (area light)
- Pocket clip with magnetic mounting feature for hands-free working
- Non-slip rubber coated handle
- Triangular VARTA shape - not rolling
- Easy to carry - pocket rule size

Work Flex® Area Light

Type 17648



230 LUMENS



22 METERS



35 HOURS



3x AA

Batteries included



IP 54

- COB LED technology for ideal area illumination
- Frosted lens for better diffusion of light - non-glaring
- Adjustable lighting area for ideal room illumination
- Multiple fixing options - hanging, standing, magnet for hands-free working
- Easy to carry, ideal size for tool boxes



**2 LIGHT
LEVELS**



**UP TO 2M
SHOCK PROOF**



**MAGNET
& HOOK**

Details on page 204



Multifunction Light F20R

Type 18649

Spotlight | Side Floodlight | Mainlight (2 Light levels)

	50	100	100 LUMENS
	20	12	12 METERS
	6	3	3 HOURS

- 180° foldable design
- Compact and Lightweight
- Multiple magnets
- Integrated clip
- Low Battery and Charging indicator
- VARTA Safety Features



Work Light BL40

Type 18660

	350 LUMENS
	320 METERS
	270 HOURS

- Beam lantern with Cree 4 Watt high performance LED
- Two light modes: 100% and energy-saving
- 145° height-adjustable head
- Carry strap for optimum comfort during use
- Includes VARTA Longlife Power alkaline battery with a runtime of up to 270 hours
- Spare parts: Battery - order no. 00435 101 111



Details on pages 204–205

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Aluminium Lights

Elegant everyday solution

Timeless, modern and robust at the same time. The new VARTA Aluminium Lights Pro flashlights are the perfect choice for everyday.



Aluminium Light Pro F10

Type 16606

-  **175 LUMENS**
-  **45 METERS**
-  **25 HOURS**

 **2x AAA**
Batteries included

Aluminium Light Pro F20

Type 16607

-  **250 LUMENS**
-  **70 METERS**
-  **35 HOURS**

 **2x AA**
Batteries included

Aluminium Light Pro F30

Type 17608

-  **400 LUMENS**
-  **150 METERS**
-  **50 HOURS**

 **3x AAA**
Batteries included


**ANODIZED
ALUMINIUM**


CLIP


**SHOCK
PROOF**

Metal Key Chain Light

Type 16603

-  **15 LUMENS**
-  **11 METERS**
-  **6 HOURS**

 **2x CR2016**
Batteries included




**2 LIGHT
LEVELS**


**AUTO
SHUT OFF**

- Ultra compact key chain light made of high grade, chrome-plated zinc alloy

Details on page 207

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Home Lights

Designed to make life easier
and more comfortable

VARTAs Home Lights brighten up any place in and around your home. Well thought-out features make these products particularly user-friendly for optimal support in- and outdoors in your busy everyday life!





Motion Sensor Slim Light

Type 17624

-  **80 LUMENS**
-  **10 METERS**
-  **3.5 HOURS**

- Motion detection
- Aluminium housing
- Warm white LED for pleasant illumination
- Auto shut off (20 seconds)
- 2 installing options: 3M adhesive tape or magnet


**INCL.
USB-C
CABLE**


**USB-C INPUT
RECHARGEABLE**


**MOTION
SENSOR**

**LASTS UP TO
250
ACTIVATIONS
PER CHARGE**





30 SEC
AUTO SHUT OFF

LASTS UP TO
365 DAYS*

HOOK HOLE
MAGNET & TAPE



2 LIGHT LEVELS

IP 44

Motion Sensor Night Light Type 16624

17 LUMENS
4.8 METERS
28 HOURS
3x AAA
Batteries included in single pack

- Motion recognition within 3m and an angle of 120°
- Warm white LED for pleasant illumination
- 3 operation modes: On/Off/Auto

Motion Sensor Outdoor Light Type 16634

40 LUMENS
7 METERS
60 HOURS
3x AAA
Batteries included in single pack

- Both available in the following versions:
- Single Pack with 3xAAA
 - Twin Pack (Batteries not included)

Motion Sensor Plug Light Type 18624



18 LUMENS
5 METERS
∞ HOURS
100% DIMMABLE
90 SEC AUTO SHUT OFF

- Convenient plug light
- Motion recognition within 3m and an angle of 120°
- Warm white LED for pleasant illumination
- Seamless dimming function
- 3 operation modes: On/Off/Auto

*Based on assumption that light turns on 5 times per day in auto shut off mode

Details on pages 210-211

Day Light Multi LED

Your reliable everyday companion

Designed for everyday usage the VARTA Multi LED Day Lights are equipped with multiple LEDs and shock resistant three component casing. A lanyard ensures convenient handling.



Day Light Multi LED F30

Type 17612

-  **90 LUMENS**
-  **32 METERS**
-  **130 HOURS**
-  **2x D**
Batteries included

Day Light Multi LED F20

Type 16632

-  **60 LUMENS**
-  **45 METERS**
-  **40 HOURS**
-  **2x AA**
Batteries included

Day Light Multi LED F10

Type 16631

-  **30 LUMENS**
-  **20 METERS**
-  **9 HOURS**
-  **1x AA**
Battery included



Including
key ring



- Shock-resistant three-component casing (aluminium, rubber, ABS plastic)

Day Light Key Chain Light

Type 16605

-  **12 LUMENS**
-  **22 METERS**
-  **6.5 HOURS**
-  **1x AAA**
Battery included

Details on page 208

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Kids Light

The safe companion for every adventure

VARTA's Kids Light fulfills highest safety standards according to EU Toy Safety Directive. Its eye-protective lens, safe light intensity and child-proof opening mechanism ensure a safe usage. A colorful companion for kids on every adventure.



Kids Flashlight

Type 15650



10 LUMENS



4 METERS



70 HOURS



2x AA

Batteries included

- Colorful unisex design
- Eye-catching packaging
- Long lasting operation time




Focus on Safety:

EU TOY SAFETY DIRECTIVE

By fulfilling the EU Toy Safety Directive, we make sure children can play safely with our kids light:

- **Chemical-Free:** Our kids light is made out of safe materials.
- **Safe Electronics:** We ensure our kids light is safe to use, with no risk of electric shocks.
- **Design:** The battery compartment design makes sure the batteries are not accessible for children as it can only be opened by a screw driver.
- **Safe Lens:** Our specially designed lens limits the light intensity and output to prevent harmful effects on children's eyes.



Child-safe opening
mechanism



Eye-protecting lens
Safe Light Intensity

Details on page 211

Special Lights

Useful helpers for any situation

Our gadget lights provide a reliable lighting solution for special usage occasions.



Multi-Use:



Safety Light

Type 16621

 **25 LUMENS**
 **45 HOURS***
*Red Blinking (on to off)

- Compact and lightweight
- With reflective elements
- 5 light levels, Red: High/Blinking
White: High/Low/Blinking



White light mode



Red light mode



2 M
RESISTANT



IP 54



MAGNETIC CLIP

Book Light

Type 16618

 **9 LUMENS**
 **4 METERS**
 **26 HOURS**

 **2x CR2032**
Batteries included




FLEXIBLE



HANDLE CLIP

- The flexible light for a relaxing reading experience
- Provides full and even illumination of the page

Details on page 211



Dynamo Light

Type 17680



- Dynamo light provides light at all times
- Shock-resistant and water resistant (IPX4)
ABS plastic casing
- Incl. 120 mAh high performance rechargeable lithium-ion battery
- 3x 5mm white LEDs provide an improved light beam

Palm Light


Type 16645



- Stylish metal all-purpose flashlight
- Slide switch (on/off)
- Practical hanging clip

Pen Light

Type 16611



- Extremely slim and lightweight flashlight with aluminium casing
- 1x 5mm white LED provides an improved light beam

Details on pages 210-211

UV Light

Type 15638

-  **UV 395 – 400nm**
-  **8.5 HOURS**
-  **3x AAA**
Batteries included



- UV flashlight to make the invisible visible
- Detects and identifies residues of dirt, pets urine, etc.
- Checks and verifies banknotes, fingerprints and fluorescents
- Multi LED technology: 14pcs UV LED (UV A)
- Aluminium housing and rubber grip



Lipstick Light

Type 16617

-  **19 LUMENS**
-  **25 METERS**
-  **3 HOURS**
-  **1x AA**
Batteries included



- Elegant and handy LED flashlight with aluminium casing and a ribbed rubber grip
- 0.5 Watt high performance LED provides a high light output
- Fluorescent parts on the grip for hassle-free finding in the dark

Details on page 210

Portable Power

Empowering the independent lifestyle

Countless moments powered by VARTA Portable Power.

Compact, powerful product solutions, built for modern life on the go, keep mobile devices powered-up anytime and anywhere.



Scan for
more information

www.varta-ag.com/en/portable-power



Power Banks

Award-winning safety empowering you

All VARTA Power Banks are equipped with the innovative Advanced Safety Technology.



Europe's official winner of the EU Product Safety Gold Award

Awarded by the EU Commission for the outstanding safety standards of our Power Banks.





**UN38.3
COMPLIANT
TRANSPORT
SAFETY**



**TESTED
LITHIUM CELLS
ACC. TO.
UL1642**

Designed with awarded

ADVANCED SAFETY TECHNOLOGY

Comprehensive product qualification process conducted in our german test lab.



**TEMPERATURE
CONTROL**

An internal NTC sensor interrupts the charging process at high temperatures.



**OVERCURRENT
PROTECTION**

The Power Banks' batteries are protected against over-current to avoid damage of the cells.



**OVERCHARGE
PROTECTION**

The Power Banks' batteries are protected against over-charging to avoid damage of the cells.



**INPUT-OVERVOLTAGE
PROTECTION**

A detector protects the Power Banks against overvoltage from external power.



**DEEP DISCHARGE
PROTECTION**

The protection against deep-discharging of the batteries avoids cell damage and increases the batteries longevity.



**SHORT CIRCUIT
PROTECTION**

The Power Bank is short circuit proof due to a resettable safety fuse.

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Energy Power Banks

Reliable power supplier
empowering any adventure

Slim and powerful Powerbanks with USB-C input and output
available in 4 capacities. Ideal for the on the go user.



**ADVANCED
SAFETY
TECHNOLOGY**



**INCL. USB-C
CABLE**



Power Bank Energy 5000

Type 57975

The suitable capacity for
everyday's energy need


12W
FAST CHARGING




+26 H
TALK TIME*

1X USB C


1X USB A



+55 H
TALK TIME*



+83 H
TALK TIME*



+114 H
TALK TIME*

PD 20W
FAST CHARGING

2X USB C PD 1X USB A QC

Power Bank Energy 10 000

Type 57976

The suitable capacity for
a weekend getaway

Power Bank Energy 15 000

Type 57977

The suitable capacity for
a longer trip

Power Bank Energy 20 000

Type 57978

The suitable capacity for
a high energy need

- New with Power Delivery & Quick Charge for fast & intelligent charging with up to 20W

*Hours based on the Samsung Galaxy S9 battery specification on samsung.com. May vary by device.

Details on page 212

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Wireless Power Banks

2-in-1 products for maximum flexibility

The premium VARTA Wireless Power Banks offer Power Delivery, Quick Charge and Wireless Charging in one product solution to charge up to 4 devices at once.



**ADVANCED
SAFETY
TECHNOLOGY**



**INCL. USB-C
CABLE**



Wireless Power Bank 10 000

Type 57913

The suitable capacity for
a weekend getaway



+55 H
TALK TIME*

PD 20W
FAST CHARGING

2 in 1
WIRELESS
CHARGER
+
POWER
BANK



10W
FAST WIRELESS
CHARGING



- Power Delivery & Quick Charge for fast & intelligent charging with up to 20W



+83 H
TALK TIME*



PD 20W
FAST CHARGING



+114 H
TALK TIME*



Wireless Power Bank 15 000

Type 57908

The suitable capacity for
a longer trip

Wireless Power Bank 20 000

Type 57909

The suitable capacity for
a high energy need

Mag Pro Wireless Power Banks

Say hello to effortless charging

Innovative Power Banks with snap & charge mechanism. Magnetic attraction ensures easy and secure attachment between smartphone and Power Bank.



ADVANCED
SAFETY
TECHNOLOGY



COMPATIBLE WITH
MAGSAFE

COMPATIBLE WITH
QI-STANDARD



**CHARGE
INDICATION**



PD 12W
FAST CHARGING 1X USB C PD

Mag Pro Wireless Power Bank 5 000

Type 57903

- Capacity: 5 000 mAh
- Magnetic fixation between mobile device & powerbank
- Illuminated logo for power indication
- Soft touch surface

7.5W
**WIRELESS
OUTPUT***



Available in two color options

Mag Pro Wireless Power Bank 10 000

Type 57904

- Capacity: 10 000 mAh
- Magnetic fixation between mobile device & powerbank
- Illuminated logo for power indication
- Soft touch surface

10W
**WIRELESS
OUTPUT***




PD 20W
FAST CHARGING 2X USB C PD

*7.5W for Apple devices, iPhones 12/13/14/15 can be installed directly. Works with MagSafe cases. Wireless charging works with any qi compatible device. Magnetic attachment can be reached by using a magnetic ring or magnetic charging case.

High Performance Power Banks

Our most powerful Powerbanks ever!

Discover our new generation of Powerbanks that even supply laptops with high speed power! Stylish, high-quality products that charge your every device!



**HIGH SPEED
CHARGING
FOR LAPTOPS**



**SAFE
TO USE ON
AIRPLANES**



POWER FOR DAYS, NOT HOURS.

6-7X PHONES

like iPhone 15 or
Samsung Galaxy S24

1.4X LAPTOPS

like MacBook Pro 16"

**PD 140 W
MAX.**

2X USB C PD



**18W
MAX.**

1X USB A QC

High Speed Power Bank 27 000

Type 57984

- Capacity: 27.000 mAh
- Powers any device: smartphones, tablets, laptops
- Incl. USB-C Cable
- Aluminum housing
- LCD Display
- Modern & elegant design
- VARTA Safety features



**CHARGED IN
40 MIN***

*charges MacBook Pro 16 up to 50% in 40 min. Performance may vary by device.

Details on page 216

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Accessories

Essential gadgets for optimized charging experience

The VARTA accessories include wall chargers, car chargers, adapters and cables with useful features in modern and timeless design to satisfy all daily charging needs.



COMPATIBLE WITH
MAGSAFE

COMPATIBLE WITH
QI-STANDARD



15W
FAST
CHARGING*



INCL.
USB-C CABLE



Mag Pro Wireless Car Charger

Type 57902

- Wireless charging with up to 15 W*
- USB-C input
- Gentle materials to protect phone and car interior



Car Charger

Type 57933

- Compact and powerful 12-24 V car adapter
- Charges 2 devices at once

45W

TOTAL
OUTPUT

*7.5W for Apple devices, iPhones 12/13/14/15 can be installed directly. Works with MagSafe cases. Wireless charging works with any qi compatible device. Magnetic attachment can be reached by using a magnetic ring or magnetic charging case.



High Speed Charger

Type 57956

- Extremely powerful charger
- Charges 3 devices at once including laptops
- Fast & intelligent charging
Supports Power Delivery & Quick Charge
- Lightweight, handy & compact
- Modern and premium VARTA design that fits any modern interior

65W
TOTAL
OUTPUT



**CHARGES
LAPTOPS**

GaN
TECH

Speed Charger

Type 57955

- 1x USB Type C PD and 1x USB A QC Output
- Charges 2 devices at once
- Supports Power Delivery & Quick Charge
- Fast & intelligent charging
Supports Power Delivery & Quick Charge
- Modern and premium VARTA design that fits any modern interior

38W
TOTAL
OUTPUT

GaN
TECH



Details on page 217

2 METERS

NYLON
CABLE

ALUMINIUM



Speed Charge & Sync Cable
USB-A to USB-C
Type 57935



- Charge & sync
- Power transfer: 60 W
- Data transfer: 5 Gbit/s



Speed Charge & Sync Cable
USB-C to USB-C
Type 57936



- Charge & sync
- Power transfer: 100 W
- Data transfer: 10 Gbit/s

Speed Charge & Sync Cable 3in1
USB A to Micro USB | USB-C | Lightning
Type 57937



3in1

Made for
iPhone | iPad | iPod

- Charge & sync
- Power transfer: 12 W
- Data transfer: 480 Mbit/s



Details on page 218





High quality solutions for secondary placements

Battery purchase is strongly impulse driven - use multilocations to remind your consumers about batteries

- Place displays at high frequency areas, at checkout and close to battery operated devices e.g. multimedia/ electro & toys
- Multiplacement strategy will leverage your business and bring up to 80% sales increase
- Use various & also customized displays for different locations to attract consumers

Perfectly harmonized product portfolio

- All secondary placements are optimized based on our VARTA assortment & placement principles
- Guaranteed stability due to VARTA display expertise
- 90 % of our display solutions are ready-to-sell
- Modular display parts for maximum flexibility across broad display range
- Our displays are 100 % recyclable



Category Management

Benefit from the expertise of
the battery expert!

VARTA is continuously setting new impulses for the portable
battery market with innovative products, premium quality
and attractive trade promotions.



Scan to find
more details

[www.varta-ag.com/en/industry/
service/category-management](http://www.varta-ag.com/en/industry/service/category-management)

Multilocations

The key to a successful battery business!

In addition, we support our retail partners with professional and pragmatic advice in the exploitation of all sales potential at the point of sale: following an omni-channel approach, we advise across channels (offline & online) in the optimization of assortment, shelf and secondary placements, trade promotions, catalogues, but also in the optimization of visibility and presentation of our products in customer web stores and marketplaces.



Assortment overview

All products at a glance



Ultra Lithium



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	6103	6103	6106	6106	6122
Others	AAA, Micro	AAA, Micro	AA, Mignon	AA, Mignon	9V, E-Block
Order-No. / consumer unit	06103 301 402	06103 301 404	06106 301 402	06106 301 404	06122 301 401
Batteries / consumer unit	2	4	2	4	1
Width (mm) Blister	80	80	80	80	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	12.3	12.3	15.8	15.8	19
Weight (g) Blister	24	39	38	67	50
Minimum pieces / shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	50	50	100	100	50
Voltage (V)	1.5	1.5	1.5	1.5	9.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Width (mm) Battery	—	—	—	—	26.5
Height (mm) Battery	44.5	44.5	50.5	50.5	49.0
Depth (mm) Battery	—	—	—	—	17.5
Diameter (mm) Battery	10.5	10.5	14.5	14.5	—
Weight (g) Battery	7.7	7.7	14.5	14.5	41.0
IEC	FR10G445	FR10G445	FR14505	FR14505	—
Details	Page 15	Page 15	Page 15	Page 15	Page 15
EAN/GTIN/ consumer unit					

*UL certified. Underwriters Laboratories www.ul.com

Longlife Max Power



Plastic-free Packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4703	4703	4703	4703	4703
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04703 101 412	04703 101 404	04703 101 746	04703 101 736	04703 101 418
Batteries / consumer unit	2	4	6	4+2	8
Width (mm) Blister	80	80	64.6	64.6	167
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	12.3	12.3	11.2	11.2	12.3
Weight (g) Blister	32	55	76	76	110
Minimum pieces / shipment unit	10	10	20	20	20
Innecarton	10	10	-	—	—
Mastercarton	50	50	20	20	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5	10.5
Weight (g) Battery	11.5	11.5	11.5	11.5	11.5
IEC	LR03	LR03	LR03	LR03	LR03
Details	Page 17	Page 17	Page 17	Page 17	Page 17
EAN/GTIN / consumer unit					



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW**4703**AAA, Micro,
MN2400, Ministilo

04703 101 428

5+3

167

120

12.3

110

20

—

20

1.5

Alkaline

—

44.5


—

10.5

11.5

LR03

Page 17



4 008496 1744 183

4703AAA, Micro,
MN2400, Ministilo

04703 101 448

6+2

167

120

12.3

110

20

—

20

1.5

Alkaline

—

44.5

—

10.5

11.5

LR03

Page 17



4 008496 850327

4703AAA, Micro,
MN2400, Ministilo

04703 101 710

8+2

106.6

120

11.2

127

20

—

20

1.5

Alkaline

—

44.5

—

10.5

11.5

LR03

Page 17



4 008496 066919

4703AAA, Micro,
MN2400, Ministilo

04703 101 762

8+4

127.6

120

11.2

152

20

—

20

1.5

Alkaline

—

44.5

—

10.5

11.5

LR03

Page 17



4 008496 066926

Longlife Max Power



Plastic-free
packaging



Plastic-free
packaging



Plastic-free
packaging



Plastic-free
packaging



Plastic-free
packaging

Type	4706	4706	4706	4706	4706
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04706 101 412	04706 101 404	04706 101 746	04706 101 736	04706 101 418
Batteries / consumer unit	2	4	6	4+2	8
Width (mm) Blister	80	80	87.2	87.2	167
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	15.8	15.8	15.4	15.4	15.8
Weight (g) Blister	57	104	153	153	209
Minimum pieces / shipment unit	20	20	20	20	20
Innecarton	20	20	—	—	—
Mastercarton	100	100	20	20	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6	LR6
Details	Page 17	Page 17	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit					



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

4706	4706	4706	4706
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04706 101 428	04706 101 448	04706 101 710	04706 101 762
5+3	6+2	8+2	8+4
167	167	143.6	172
120	120	120	120
15.8	15.8	15.4	15.4
209	209	254	305
20	20	20	20
—	—	—	—
20	20	20	20
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.8	23.8	23.8	23.8
LR6	LR6	LR6	LR6
Page 17	Page 17	Page 17	Page 17

Longlife Max Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4714	4720	4722
Others	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04714 101 422	04720 101 422	04722 101 401
Batteries / consumer unit	2	2	1
Width (mm) Blister	80	90	80
Height (mm) Blister	120	120	120
Depth (mm) Blister	27.4	35	19
Weight (g) Blister	142	285	55
Minimum pieces / shipment unit	6	6	10
Innecarton	6	6	10
Mastercarton	60	30	50
Voltage (V)	1.5	1.5	9.0
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	26.5
Height (mm) Battery	50.0	61.5	48.5
Depth (mm) Battery	—	—	17.5
Diameter (mm) Battery	26.2	34.2	—
Weight (g) Battery	65.8	136.9	46.0
IEC	LR14	LR20	6LR61
Details	Page 17	Page 17	Page 17
EAN/GTIN/ consumer unit			



Type	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 412	04903 121 414	04903 121 884
Batteries / consumer unit	2	4	4
Width (mm) Blister	80	80	80
Height (mm) Blister	120	120	120
Depth (mm) Blister	12.3	12.3	12.3
Weight (g) Blister	32	54	54
Minimum pieces / shipment unit	10	10	16
Innercarton	10	10	—
Mastercarton	50	50	16
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4
IEC	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19
EAN/GTIN / consumer unit			

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Longlife Power



Type	4903	4903	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 746	04903 121 436	04903 121 496	04903 121 438	04903 121 418
Batteries / consumer unit	6	4+2	5+1	8	8
Width (mm) Blister	64.6	80	80	80	167
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	11.2	12	12	22	12.3
Weight (g) Blister	76	73	73	96	109
Minimum pieces / shipment unit	20	10	10	10	20
Innecarton	-	10	10	10	—
Mastercarton	20	50	50	30	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4	11.4	11.4
IEC	LR03	LR03	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit					



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

4903	4903	4903
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04903 121 428	04903 121 448	04903 121 761
6+2	4+4	10
167	167	106.6
120	120	120
12.3	12.3	11.2
109	109	126
20	20	20
—	—	—
20	20	20
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
44.5	44.5	44.5
—	—	—
10.5	10.5	10.5
11.4	11.4	11.4
LR03	LR03	LR03
Page 19	Page 19	Page 19

Longlife Power



Type	4903	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 710	04903 121 782	04903 121 732	04903 121 772
Batteries / consumer unit	8+2	12	10+2	8+4
Width (mm) Blister	106.6	127.6	127.6	127.6
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	11.2	11.2	11.2	11.2
Weight (g) Blister	126	151	151	151
Minimum pieces / shipment unit	20	20	20	20
Innecarton	—	—	—	—
Mastercarton	20	20	20	20
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4	11.4
IEC	LR03	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit				



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

4903	4903	4903
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04903 121 716	04903 121 766	04903 121 720
16	12+4	20
87.1	87.1	106.6
127	127	127
11.2	11.2	11.2
194	194	242
10	10	10
—	—	—
10	10	10
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
44.5	44.5	44.5
—	—	—
10.5	10.5	10.5
11.4	11.4	11.4
LR03	LR03	LR03
Page 19	Page 19	Page 19

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Longlife Power



Type	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 790	04903 121 792	04903 121 795
Batteries / consumer unit	10+10	14+6	16+4
Width (mm) Blister	106.6	106.6	106.6
Height (mm) Blister	127	127	127
Depth (mm) Blister	11.2	11.2	11.2
Weight (g) Blister	242	242	242
Minimum pieces / shipment unit	10	10	10
Innecarton	—	—	—
Mastercarton	10	10	10
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4
IEC	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit	 4 008496 067138	 4 008496 067121	 4 008496 067206



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW**4903**AAA, Micro,
MN2400, Ministilo

04903 121 132

12

66.6

23.5

48.4

144

24

—

24

1.5

Alkaline

—

44.5

—

10.5

11.4

LR03

Page 19



4 008496 129850

4903AAA, Micro,
MN2400, Ministilo

04903 121 138

18

66.6

34.6

48.4

214

18

—

18

1.5

Alkaline

—

44.5

—

10.5

11.4

LR03

Page 19



4 008496 129867

4903AAA, Micro,
MN2400, Ministilo

04903 121 136

40

106.8

46.9

50.1

472

12

—

12

1.5

Alkaline

—

44.5

—

10.5

11.4

LR03

Page 19



4 008496 202133



Type	4903	4903	4903
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04903 121 154	04903 121 194	04903 121 354
Batteries / consumer unit	4	40	4
Width (mm) Blister	44	48	44
Height (mm) Blister	45	149	45
Depth (mm) Blister	11	49	11
Weight (g) Blister	46	480	46
Minimum pieces / shipment unit	80	8	10
Innecarton	10	—	10
Mastercarton	80	8	120
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.4	11.4	11.4
IEC	LR03	LR03	LR03
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit			



4903

AAA, Micro,
MN2400, Ministilo

04903 121 394

40

114

46

47

471

12

-

12

1.5

Alkaline

—

44.5

—

10.5

11.4

LR03

Page 19



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Longlife Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Type	4906	4906	4903	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 412	04906 121 414	04906 121 884	04906 121 415
Batteries / consumer unit	2	4	4	4+1
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	15.8	15.8	15.8	16
Weight (g) Blister	57	104	104	127
Minimum pieces / shipment unit	20	20	12	10
Innecarton	20	20	—	10
Mastercarton	100	100	12	50
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19	Page 19
EAN/GTIN / consumer unit				



4906	4906	4906	4906	4906
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04906 121 746	04906 121 436	04906 121 496	04906 121 438	04906 121 418
6	4+2	5+1	8	8
87.2	80	80	80	167
120	120	120	120	120
15.4	28	28	28	15.8
153	148	148	197	209
20	10	10	10	20
-	10	10	10	—
20	50	50	40	20
1.5	1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—	—
50.5	50.5	50.5	50.5	50.5
—	—	—	—	—
14.5	14.5	14.5	14.5	14.5
23.8	23.8	23.8	23.8	23.8
LR6	LR6	LR6	LR6	LR6
Page 19	Page 19	Page 19	Page 19	Page 19

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Longlife Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 428	04906 121 448	04906 121 761
Batteries / consumer unit	6+2	4+4	10
Width (mm) Blister	167	167	143.6
Height (mm) Blister	120	120	120
Depth (mm) Blister	15.8	15.8	15.4
Weight (g) Blister	209	209	254
Minimum pieces / shipment unit	20	20	20
Innercarton	—	—	—
Mastercarton	20	20	20
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8
IEC	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19
EAN/GTIN / consumer unit			



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

4906	4906	4906
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04906 121 710	04906 121 782	04906 121 732
8+2	12	10+2
143.6	172	172
120	120	120
15.4	15.4	15.4
254	305	305
20	20	20
—	—	—
20	20	20
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
50.5	50.5	50.5
—	—	—
14.5	14.5	14.5
23.8	23.8	23.8
LR6	LR6	LR6
Page 19	Page 19	Page 19



Type	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 772	04906 121 716	04906 121 766
Batteries / consumer unit	8+4	16	12+4
Width (mm) Blister	172	116	116
Height (mm) Blister	120	127	127
Depth (mm) Blister	15.4	15.4	15.4
Weight (g) Blister	305	398	398
Minimum pieces / shipment unit	20	10	10
Innecarton	—	—	—
Mastercarton	20	10	10
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8
IEC	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit	 4 008496 067367	 4 008496 067381	 4 008496 067435



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

4906	4906	4906	4906
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04906 121 720	04906 121 790	04906 121 792	04906 121 795
20	10+10	14+6	16+4
143.6	143.6	143.6	143.6
127	127	127	127
15.4	15.4	15.4	15.4
497	497	497	497
10	10	10	10
—	—	—	—
10	10	10	10
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.8	23.8	23.8	23.8
LR6	LR6	LR6	LR6
Page 19	Page 19	Page 19	Page 19

Longlife Power



Type	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 132	04906 121 138	04906 121 134
Batteries / consumer unit	12	18	24
Width (mm) Blister	89.4	89.4	89.4
Height (mm) Blister	30.8	44.5	59.2
Depth (mm) Blister	55.1	55.1	55.1
Weight (g) Blister	296	442	588
Min. pieces / shipment unit	24	18	12
Innecarton	—	—	—
Mastercarton	24	18	12
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8
IEC	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19
EAN/GTIN / consumer unit			



 Plastic-free packaging

4906

AA, Mignon,
MN1500, Stilo

04906 121 136

40

106.8

61.6

57

978

10

—

10

1.5

Alkaline

—

50.5

—

14.5

23.8

LR6

Page 19



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Longlife Power



Type	4906	4906	4906	4906
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04906 121 154	04906 121 194	04906 121 354	04906 124 354
Batteries / consumer unit	4	40	4	40
Width (mm) Blister	60	64	60	150
Height (mm) Blister	52	186	52	53
Depth (mm) Blister	15	54	15	66
Weight (g) Blister	96	987	96	969
Minimum pieces / shipment unit	80	8	10	10
Innecarton	10	—	10	—
Mastercarton	80	8	100	10
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6
Details	Page 19	Page 19	Page 19	Page 19
EAN/GTIN / consumer unit				



Plastic-free packaging

Plastic-free packaging

Plastic-free packaging

4912	4912	4914
Normal, MN1203	C, Baby, MN1400, 1/2 Torcia	C, Baby, MN1400, 1/2 Torcia
04912 121 411	04914 121 422	04914 121 424
1	2	4
90	80	167
120	120	120
23	27.4	27.4
183	142	284
10	6	6
10	6	—
50	60	6
4.5	1.5	1.5
Alkaline	Alkaline	Alkaline
62.0	—	—
67.0	50.0	50.0
22.0	—	—
—	26.2	26.2
174.0	65.8	65.8
3LR12	LR14	LR14
Page 19	Page 19	Page 19

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Longlife Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4920	4920	4922	4922
Others	D, Mono, MN1300, Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04920 121 422	04920 121 424	04922 121 411	04922 121 412
Batteries / consumer unit	2	4	1	2
Width (mm) Blister	90	167	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	35	35	19	19
Weight (g) Blister	285	568	55	101
Min. pieces / shipment unit	6	6	10	10
Innecarton	6	—	10	10
Mastercarton	30	6	50	50
Voltage (V)	1.5	1.5	9.0	9.0
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	26.5	26.5
Height (mm) Battery	61.5	61.5	48.5	48.5
Depth (mm) Battery	—	—	17.5	17.5
Diameter (mm) Battery	34.2	34.2	—	—
Weight (g) Battery	136.9	136.9	46.0	46.0
IEC	LR20	LR20	6LP3146	6LP3146
Details	Page 19	Page 19	Page 19	Page 19
EAN/GTIN/ consumer unit				

Longlife



Type	4103	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 101 412	04103 101 414	04103 101 814	04103 101 746	04103 101 426
Batteries / consumer unit	2	4	4	6	4+2
Width (mm) Blister	80	80	80	64.6	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	12.3	12.3	12.3	11.2	12
Weight (g) Blister	31	54	54	75	72
Min. pieces / shipment unit	10	10	16	20	10
Innercarton	10	10	—	—	10
Mastercarton	50	50	16	20	50
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03	LR03
Details	Page 21	Page 21	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit	 4 008496 594726	 4 008496 525072	 4 008496 525072	 4 008496 071449	 4 008496 633306



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 101 418	04103 101 761	04103 101 716	04103 101 766
Batteries / consumer unit	8	10	16	12+4
Width (mm) Blister	167	106.6	87.1	87.1
Height (mm) Blister	120	120	127	127
Depth (mm) Blister	12.3	11.2	11.2	11.2
Weight (g) Blister	108	125	193	193
Minimum pieces / shipment unit	20	20	10	10
Innecarton	—	—	—	—
Mastercarton	20	20	10	10
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03
Details	Page 21	Page 21	Page 21	Page 21
EAN/GTIN / consumer unit				



Plastic-free packaging



AVAILABLE
JULY
2026



Plastic-free packaging



Plastic-free packaging



4103	4103	4103	4103
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04103 101 720	04103 101 630	04103 101 478	04103 301 132
20	30	8	12
106.6	80	87.7	66.6
127	195	46.5	23.5
11.2	37	12.2	48.4
240	360	94,3	142
10	12	25	24
—	—	—	—
10	12	25	24
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
44.5	44.5	44.5	44.5
—	—	—	—
10.5	10.5	10.5	10.5
11.3	11.3	11.3	11.3
LR03	LR03	LR03	LR03
Page 21	Page 21	Page 21	Page 21

Longlife



Type	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 101 130	04103 301 134	04103 101 135
Batteries / consumer unit	20	24	30
Width (mm) Blister	105.9	66.6	106.1
Height (mm) Blister	24.9	43.9	35.4
Depth (mm) Blister	50.1	48.4	49
Weight (g) Blister	240	281	356
Minimum pieces / shipment unit	16	16	16
Innecarton	—	—	—
Mastercarton	16	16	16
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3
IEC	LR03	LR03	LR03
Details	Page 21	Page 21	Page 21
EAN/GTIN / consumer unit	 4 008496 129935	 4 008496 129928	 4 008496 214709



4103

AAA, Micro,
MN2400, Ministilo

04103 101 394

40

114

46

47

467

12

—

12

1.5

Alkaline

—

44.5

—

10.5

11.3

LR03

Page 21



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Longlife



Type	4106	4106	4106	4106	4106
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04106 101 412	04106 101 414	04106 101 814	04106 101 736	04106 101 426
Batteries / consumer unit	2	4	4	6	4+2
Width (mm) Blister	80	80	80	87.2	80
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	15.8	15.8	15,8	15.4	28
Weight (g) Blister	55	101	101	150	145
Minimum pieces / shipment unit	20	20	12	20	10
Innecarton	20	20	—	-	10
Mastercarton	100	100	12	20	50
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5	14.5
Weight (g) Battery	23.2	23.2	23.2	23.2	23.2
IEC	LR6	LR6	LR6	LR6	LR6
Details	Page 21	Page 21	Page 21	Page 21	Page 21
EAN/GTIN / consumer unit					



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

4106	4106	4106	4106
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04106 101 418	04106 101 761	04106 101 716	04106 101 766
8	10	16	12+4
167	143.6	116	116
120	120	127	127
15,8	15.4	15.4	15.4
204	248	389	389
20	20	10	10
—	—	—	—
20	20	10	10
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.2	23.2	23.2	23.2
LR6	LR6	LR6	LR6
Page 21	Page 21	Page 21	Page 21

Longlife



 Plastic-free packaging



AVAILABLE
JULY
2026



 Plastic-free packaging 



 Plastic-free packaging 

Type	4106	4106	4106	4106
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04106 101 720	04106 101 630	04106 101 478	04106 301 132
Batteries / consumer unit	20	30	8	12
Width (mm) Blister	143.6	100	116.5	89.4
Height (mm) Blister	127	230	52	30.8
Depth (mm) Blister	15.4	48	16.5	55.1
Weight (g) Blister	485	734	191	289
Minimum pieces / shipment unit	10	12	25	24
Innecarton	—	—	—	—
Mastercarton	10	12	25	24
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5
Weight (g) Battery	23.2	23.2	23.2	23.2
IEC	LR6	LR6	LR6	LR6
Details	Page 21	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit	 4 008496 067763	 4 008496 1992126	 4 008496 226696	 4 008496 129942



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

4106	4106	4106
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04106 101 130	04106 301 134	04106 101 135
20	24	30
143	89.4	146.9
32.3	59.2	48.9
55.1	55.1	55.4
487	573	718
16	12	8
—	—	—
16	12	8
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
50.5	50.5	50.5
—	—	—
14.5	14.5	14.5
23.2	23.2	23.2
LR6	LR6	LR6
Page 21	Page 21	Page 21

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Longlife



Plastic-free packaging



Plastic-free packaging

Type	4106	4114	4114
Others	AA, Mignon, MN1500, Stilo	C, Baby, MN1400, 1/2 Torcia	C, Baby, MN1400, 1/2 Torcia
Order-No. / consumer unit	04106 101 394	04114 101 422	04114 101 424
Batteries / consumer unit	40	2	4
Width (mm) Blister	150	80	167
Height (mm) Blister	53	120	120
Depth (mm) Blister	66	27.4	27.4
Weight (g) Blister	945	142	284
Minimum pieces / shipment unit	10	6	6
Innecarton	—	6	—
Mastercarton	10	60	6
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.0	50.0
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	26.2	26.2
Weight (g) Battery	23.2	65.8	65.8
IEC	LR6	LR14	LR14
Details	Page 21	Page 21	Page 21
EAN/GTIN/ consumer unit	 4 008496 987085	 4 008496 129195	 4 008496 129232



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

4120	4120	4122	4122
D, Mono, MN1300, Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
04120 101 422	04120 101 424	04122 101 411	04122 101 412
2	4	1	2
90	167	80	80
120	120	120	120
35	35	19	19
281	561	55	101
6	6	10	10
6	—	10	10
30	6	50	50
1.5	1.5	9.0	9.0
Alkaline	Alkaline	Alkaline	Alkaline
—	—	26.5	26.5
61.5	61.5	48.5	48.5
—	—	17.5	17.5
34.2	34.2	—	—
135.1	135.1	46.0	46.0
LR20	LR20	6LP3146	6LP3146
Page 21	Page 21	Page 21	Page 21

Energy



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4103	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 229 412	04103 229 414	04103 229 416	04103 229 418
Batteries / consumer unit	2	4	6	8
Width (mm) Blister	80	80	80	167
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	12.3	12.3	12	12.3
Weight (g) Blister	31	54	72	108
Minimum pieces / shipment unit	10	10	10	20
Innecarton	10	10	10	-
Mastercarton	50	50	50	20
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3	11.3
IEC	LR03	LR03	LR03	LR03
EAN/GTIN/ consumer unit				



4103	4103	4103	4103
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04103 229 491	04103 229 410	04103 229 132	04103 229 234
10	10	12	24
167	107.5	66.6	66.6
120	46.5	23.5	43.9
12	12.2	48.4	48.4
126	118	142	281
20	70	24	16
—	—	—	—
20	70	24	16
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
44.5	44.5	44.5	44.5
—	—	—	—
10.5	10.5	10.5	10.5
11.3	11.3	11.3	11.3
LR03	LR03	LR03	LR03

Energy



Type	4103	4103	4103
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04103 229 135	04103 229 630	04103 229 395
Batteries / consumer unit	30	30	50
Width (mm) Blister	106.1	80	114
Height (mm) Blister	35.4	195	46
Depth (mm) Blister	49	37	57
Weight (g) Blister	356	360	579
Minimum pieces / shipment unit	16	12	10
Innecarton	—	—	—
Mastercarton	16	12	10
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	44.5	44.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5
Weight (g) Battery	11.3	11.3	11.3
IEC	LR03	LR03	LR03
EAN/GTIN / consumer unit	 4 008496 083701	 4 008496 978168	 4 008496 997107



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW**4106**AA, Mignon,
MN1500, Stilo

04106 229 412

2

80

120

15.8

55

20

20

100

1.5

Alkaline

—

50.5

—

14.5

23.2

LR6



4 008496 770373

4106AA, Mignon,
MN1500, Stilo

04106 229 414

4

80

120

15.8

101

20

20

100

1.5

Alkaline

—


50.5

—

14.5

23.2

LR6



4 008496 626410

4106AA, Mignon,
MN1500, Stilo

04106 229 416

6

80

120

28

145

10

10

50

1.5

Alkaline

—


50.5

—

14.5

23.2

LR6



4 008496 676583

4106AA, Mignon,
MN1500, Stilo

04106 229 418

8

167

120

15.8

204

20

—

20

1.5

Alkaline

—


50.5

—

14.5

23.2


LR6



4 008496 626496

Energy



Type	4106	4106	4106
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04106 229 491	04106 229 410	04106 229 132
Batteries / consumer unit	10	10	12
Width (mm) Blister	167	144	89.4
Height (mm) Blister	120	51.5	30.8
Depth (mm) Blister	16	16	55.1
Weight (g) Blister	251	240	289
Minimum pieces / shipment unit	20	40	24
Innecarton	—	—	—
Mastercarton	20	40	24
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—
Height (mm) Battery	50.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5
Weight (g) Battery	23.2	23.2	23.2
IEC	LR6	LR6	LR6
EAN/GTIN / consumer unit			



4106	4106	4106	4106
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
04106 229 234	04106 229 135	04106 229 630	04106 229 395
24	30	30	50
89.4	146.9	100	152
59.2	48.9	230	53
55.1	55.4	48	75
573	718	734	1178
12	8	12	8
—	—	—	—
12	8	12	8
1.5	1.5	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—
50.5	50.5	50.5	50.5
—	—	—	—
14.5	14.5	14.5	14.5
23.2	23.2	23.2	23.2
LR6	LR6	LR6	LR6

Energy



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	4114	4120	4122	4122
Others	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor	9V, E-Block, PP3, MN1604, Transistor
Order-No. / consumer unit	04114 229 422	04120 229 422	04122 229 411	04122 229 412
Batteries / consumer unit	2	2	1	2
Width (mm) Blister	80	90	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	27.4	35	19	19
Weight (g) Blister	142	281	55	101
Minimum pieces / shipment unit	6	6	10	10
Innecarton	6	6	10	10
Mastercarton	60	30	50	50
Voltage (V)	1.5	1.5	9.0	9.0
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	26.5	26.5
Height (mm) Battery	50.0	61.5	48.5	48.5
Depth (mm) Battery	—	—	17.5	17.5
Diameter (mm) Battery	26.2	34.2	—	—
Weight (g) Battery	65.8	135.1	46.0	46.0
IEC	LR14	LR20	6LP3146	6LP3146
EAN/GTIN/ consumer unit				

LCD Battery Tester



Type	LCD Battery Tester
Order-No. / consumer unit	00893 101 111
Minimum pieces / shipment unit	8

Blister dimensions	Width (mm)	80
	Height (mm)	195
	Depth (mm)	24
	Weight (g)	74

Product dimensions	Length (mm)	86
	Width (mm)	43
	Depth (mm)	16
	Weight (g)	37

Garnished with	2x V13GA
Runs with	V13GA

EAN/GTIN/
consumer unit




LCD Battery Tester

Type 00893





- Practical and user-friendly battery tester
- Compatible chemical systems: Alkaline, NiMH, Lithium Primary and Zinc Carbon
- Test cell sizes: AA, AAA, C, D, 9V, other round and button cells



Super Heavy Duty



Type	2003	2003	2006	2006
Others	AAA, Micro	AAA, Micro	AA, Mignon	AA, Mignon
Order-No. / consumer unit	02003 101 414	02003 101 418	02006 101 414	02006 101 418
Batteries / consumer unit	4	8	4	8
Width (mm) Blister	80	157	80	157
Height (mm) Blister	120	124	120	124
Depth (mm) Blister	11.5	12.5	16	14.5
Weight (g) Blister	42	82	72	145
Minimum pieces / shipment unit	12	30	12	40
Innecarton	12	—	12	—
Mastercarton	60	30	60	40
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Zinc Carbon	Zinc Carbon	Zinc Carbon	Zinc Carbon
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	50.5	50.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	14.5	14.5
Weight (g) Battery	7.8	7.8	16.8	16.8
IEC	R03	R03	R6P	R6P
Details	Page 23	Page 23	Page 23	Page 23
EAN/GTIN / consumer unit				



PRIMARY BATTERIES

RECHARGEABLE




SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS


PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW


2012	2014	2020	2022
Normal	C, Baby	D, Mono	9V, E-Block
02012 101 411	02014 101 412	02020 101 412	02022 101 411
1	2	2	1
80	80	80	80
120	120	120	120
23.5	27	35	19
114	100	206	41
10	12	12	10
10	12	12	10
100	60	60	50
4.5	1.5	1.5	9.0
Zinc Carbon	Zinc Carbon	Zinc Carbon	Zinc Carbon
62.0	—	—	26.5
67.0	50.0	61.5	48.5
22.0	—	—	17.5
—	26.2	34.2	—
109.0	47.1	99.2	36.0
3R12P	R14P	R20P	6F22
Page 23	Page 23	Page 23	Page 23
			

Super Heavy Duty



Type	2003	2006	2006
Others	AAA, Micro	AA, Mignon	AA, Mignon
Order-No. / consumer unit	02003 101 304	02006 101 304	02006 101 308
Batteries / consumer unit	4	4	8
Width (mm) Foilpack	42	60	122
Height (mm) Foilpack	45	52	52
Depth (mm) Foilpack	11	15	15
Weight (g) Foilpack	36	67	135
Minimum pieces / shipment unit	12	15	6
Innecarton	12	15	6
Mastercarton	216	150	30
Voltage (V)	1.5	1.5	1.5
Electrochemical System	Zinc Carbon	Zinc Carbon	Zinc Carbon
Width (mm) Battery	—	—	—
Height (mm) Battery	44.5	50.5	50.5
Depth (mm) Battery	—	—	—
Diameter (mm) Battery	10.5	14.5	14.5
Weight (g) Battery	7.8	16.8	16.8
IEC	R03	R6P	R6P
Details	Page 23	Page 23	Page 23
EAN/GTIN / consumer unit	 4 008496 993055	 4 008496 556465	 4 008496 206612



2012	2014	2020	2022
Normal	C, Baby	D, Mono	9V, E-Block
02012 101 301	02014 101 302	02020 101 302	02022 101 301
1	2	2	1
62	54	70	26.5
64	51	62	48.5
22	27	35	17.5
110	95	200	36
44	12	12	12
—	12	12	12
44	60	60	216
4.5	1.5	1.5	9.0
Zinc Carbon	Zinc Carbon	Zinc Carbon	Zinc Carbon
62.0	—	—	26.5
67.0	50.0	61.5	48.5
22.0	—	—	17.5
—	26.2	34.2	—
109.0	47.1	99.2	36.0
3R12P	R14P	R20P	6F22
Page 23	Page 23	Page 23	Page 23
			

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Recharge Accu Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging


Type	56743	56703	56703	56703
Others	AAA, Micro	AAA, Micro	AAA, Micro	AAA, Micro
Order-No. / consumer unit	56743 101 404	56703 101 402	56703 101 404	56703 101 494
Typical capacity (mAh)	550	800	800	800
Batteries / consumer unit	4	2	4	3+1
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	12.3	12.3	12.3	12.3
Weight (g) Blister	49	35	61	61
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	50	50	50	50
Voltage (V)	1.2	1.2	1.2	1.2
Electrochemical System	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	44.5	44.5	44.5	44.5
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	12.0	13.0	13.0	13.0
IEC	HR03	HR03	HR03	HR03
Details	Page 27	Page 27	Page 27	Page 27
EAN/GTIN/ consumer unit				



Plastic-free packaging

Plastic-free packaging

Plastic-free packaging

56703	5703	5703	5703
AAA, Micro	AAA, Micro	AAA, Micro	AAA, Micro
56703 101 436	05703 301 402	05703 301 404	05703 301 494
800	1000	1000	1000
6	2	4	3+1
80	80	80	80
120	120	120	120
12	12.3	12.3	12.3
82	37	65	65
10	10	10	10
10	10	10	10
50	50	50	50
1.2	1.2	1.2	1.2
NiMH	NiMH	NiMH	NiMH
44.5	44.5	44.5	44.5
10.5	10.5	10.5	10.5
13.0	14.0	14.0	14.0
HR03	HR03	HR03	HR03
Page 27	Page 27	Page 27	Page 27
 4 008496 674312	 4 008496 538621	 4 008496 594375	 4 008496 772926

Recharge Accu Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	56746	56706	56706	56706
Others	AA, Mignon	AA, Mignon	AA, Mignon	AA, Mignon
Order-No. / consumer unit	56746 101 404	56706 101 402	56706 101 404	56706 101 494
Typical capacity (mAh)	1350	2100	2100	2100
Batteries / consumer unit	4	2	4	3+1
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	16.0	16.0	16.0	16.0
Weight (g) Blister	105	69	129	129
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	100	100	100	100
Voltage (V)	1.2	1.2	1.2	1.2
Electrochemical System	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	50.5	50.5	50.5	50.5
Diameter (mm) Battery	14.5	14.5	14.5	14.5
Weight (g) Battery	24.0	30.0	30.0	30.0
IEC	HR6	HR6	HR6	HR6
Details	Page 27	Page 27	Page 27	Page 27
EAN/GTIN/ consumer unit				



Plastic-free packaging

Plastic-free packaging

56706	5716	5716
AA, Mignon	AA, Mignon	AA, Mignon
56706 101 436	05716 101 402	05716 101 404
2100	2600	2600
6	2	4
80	80	80
120	120	120
28	16.0	16.0
186	71	133
10	10	10
10	10	10
50	100	100
1.2	1.2	1.2
NiMH	NiMH	NiMH
50.5	50.5	50.5
14.5	14.5	14.5
30.0	31.0	31.0
HR6	HR6	HR6
Page 27	Page 27	Page 27

Recharge Accu Power



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	56714	56720	56722	56722
Others	C, Baby	D, Mono	9V, E-Block	9V, E-Block
Order-No. / consumer unit	56714 101 412	56720 101 412	56722 101 111	56722 101 401
Typical capacity (mAh)	3000	3000	200	200
Batteries / consumer unit	2	2	1	1
Width (mm) Blister	80	90	26.5	80
Height (mm) Blister	120	120	17.5	120
Depth (mm) Blister	27.4	35	48.5	19
Weight (g) Blister	134	157	36	45
Minimum pieces / shipment unit	6	6	20	10
Innercarton	6	6	20	10
Mastercarton	60	30	200	50
Voltage (V)	1.2	1.2	8.4	8.4
Electrochemical System	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	50.0	61.5	17.5	17.5
Width (mm) Battery	—	—	26.5	26.5
Depth (mm) Battery	—	—	48.5	48.5
Diameter (mm) Battery	26.2	34.2	—	—
Weight (g) Battery	64.0	70.0	36.0	36.0
IEC	HR14	HR20	HR9V	HR9V
Details	Page 27	Page 27	Page 27	Page 27
EAN/GTIN/ consumer unit				



Recharge Accu Phone / Solar



Type	58397	58398	58399
Others	AAA, Micro	AAA, Micro	AA, Mignon
Order-No. / consumer unit	58397 101 402	58398 101 402	58399 201 402
Typical capacity (mAh)	550	800	1600
Batteries / consumer unit	2	2	2
Width (mm) Blister	80	80	80
Height (mm) Blister	120	120	120
Depth (mm) Blister	12.3	12.3	16.0
Weight (g) Blister	29	33	61
Minimum pieces / shipment unit	10	10	10
Innercarton	10	10	10
Mastercarton	50	50	100

Voltage (V)	1.2	1.2	1.2
Electrochemical System	NiMH	NiMH	NiMH
Height (mm) Battery	44.5	44.5	50.5
Diameter (mm) Battery	10.5	10.5	14.5
Weight (g) Battery	10.0	12.0	26.0
IEC	HR03	HR03	HR6
Details	Page 27	Page 27	Page 27

EAN/GTIN/
consumer unit



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Recharge Accu Recycled



Plastic-free packaging



Plastic-free packaging



Type	56813	56813	56813	56813
Others	AAA, Micro	AAA, Micro	AAA, Micro	AAA, Micro
Order-No. / consumer unit	56813 101 402	56813 101 404	56813 101 436	56813 101 476
Typical capacity (mAh)	800	800	800	800
Batteries / consumer unit	2	4	6	5+1
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	12.3	12.3	12	12
Weight (g) Blister	35	61	82	82
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	50	50	50	50
Voltage (V)	1.2	1.2	1.2	1.2
Electrochemical System	NiMH	NiMH	NiMH	NiMH
Height (mm) Battery	44.5	44.5	44.5	44.5
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	13.0	13.0	13.0	13.0
IEC	HR03	HR03	HR03	HR03
Details	Page 29	Page 29	Page 29	Page 29
EAN/GTIN / consumer unit				



Plastic-free packaging



Plastic-free packaging



56816	56816	56816	56816
AA, Mignon	AA, Mignon	AA, Mignon	AA, Mignon
56816 101 402	56816 101 404	56816 101 436	56816 101 476
2100	2100	2100	2100
2	4	6	5+1
80	80	80	80
120	120	120	120
16.0	16.0	28	28
69	129	186	186
10	10	10	10
10	10	10	10
100	100	50	50
1.2	1.2	1.2	1.2
NiMH	NiMH	NiMH	NiMH
50.5	50.5	50.5	50.5
14.5	14.5	14.5	14.5
30.0	30.0	30.0	30.0
HR6	HR6	HR6	HR6
Page 29	Page 29	Page 29	Page 29

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

LCD Chargers



Type	LCD Plug Charger ⁺	LCD Ultra Fast Charger ⁺	LCD Smart Charger ⁺
Order-No. / consumer unit	57687 101 441	57685 101 441	57684 101 441
Equipped with	4x AA 2100 mAh 56706	4x AA 2100 mAh 56706	4x AA 2100 mAh 56706
Blister dimensions	Width (mm)	120	180
	Height (mm)	230	240
	Depth (mm)	78	80
	Weight (g)	321	484
Product dimensions	Width (mm)	85	92
	Height (mm)	124	146
	Depth (mm)	73	42
	Weight (g)	156	182
Minimum pieces / shipment unit	4	2	2
Voltage (V)	100 - 240V	15V	9V / 12V
Plug	EURO	—	—
Charging time (Accus)	4 h	15 min	1.5 h
Shutdown function	Timer & Minus Delta V	Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature
Trickle charging	—	✓	✓
Compatible battery sizes	1-4 AA, AAA, 1x 9V	1-4 AA, AAA	1-4 AA, AAA
Technology	NiMH	NiMH	NiMH
Power supply (internal - external)	Internal Plug (EURO)	External	External
Charging indication	Display	Display	Display
Charging channels	5	4	4
Charging	Single	Single	Single
Bad cell / Alkaline / Wrong polarity detection	✓	✓	✓
USB – In & Out	1x USB A Out	1x USB-C In	1x USB-C In 1x USB A Out
Accessoires	—	AC Adapter, USB-C cable, 100cm, black	USB-C cable, 100cm, black
Details	Page 33	Page 33	Page 34
EAN / GTIN consumer unit	 4 008496 988303	 4 008496 988273	 4 008496 988242



LCD Multi Charger+	LCD Universal Charger+	LCD Dual Tech Charger	LCD Charger	LCD Charger
57681 101 401	57688 101 401	57676 101 401	57070 201 401	57070 201 451
—	—	—	—	4x AA 5716 2600 mAh
180	180	180	120	120
240	240	240	230	230
65	85	85	93	93
377	389	497	259	379
116	137	104	72	72
146	169	165	116	116
32	52	44	32	32
196	275	322	170	170
2	2	2	2	2
9V / 12V	9V / 12V	100 - 240V	100 - 240V	100 - 240V
—	—	EURO	EURO	EURO
4 h	4 h	4 h	2 h	2 h
Timer & Minus Delta V	Timer & Minus Delta V	Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature	Timer, Minus Delta V, control of temperature
—	✓	✓	✓	✓
1-8 AA, AAA	1-4 AA, AAA, C, D, 1x 9V	1-4x 18650, 18490, 18350, 16670, 17500, RCR123A, 17335, 16340, 14500, 10440, AA, AAA	2/4 AA, AAA	2/4 AA, AAA
NiMH	NiMH	Li-Ion & NiMH	NiMH	NiMH
External	External	External	External	External
Display	Display	Display	Display	Display
8	5	4	4	4
Single	Single	Single	Pairwise	Pairwise
✓	✓	✓	✓	✓
1x USB-C In	1x USB-C In	1x USB A Out	—	—
USB-C cable, 100cm, black	USB-C cable, 100cm, black	AC adapter	AC & 12V adapter, USB cable	AC & 12V adapter, USB cable
Page 34	Page 34	Page 35	Page 35	Page 35

Eco Chargers Recycled



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	Eco Charger Pro Recycled		Eco Charger Pro Recycled
Order-No. / consumer unit	57683 101 111	57683 101 121	57683 101 131
Equipped with	—	4x AA 2100 mAh 56816	4x AAA 800 mAh 56813
Blister dimensions	Width (mm)	100	100
	Height (mm)	195	195
	Depth (mm)	35	35
	Weight (g)	183	235
Product dimensions	Width (mm)	73.5	73.5
	Height (mm)	28.1	28.1
	Depth (mm)	125.5	125.5
	Weight (g)	91	91
Minimum pieces / shipment unit	4	4	4
Voltage (V)	5V	5V	5V
Plug	—	—	—
Charging time (Accus)	1 h	1 h	1 h
Shutdown function	Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature
Trickle charging	✓	✓	✓
Charging sizes	1-4 AA, AAA	1-4 AA, AAA	1-4 AA, AAA
Technology	NiMH	NiMH	NiMH
Power supply (internal - external)	External	External	External
Charging indication	LED	LED	LED
Charging channels	4	4	4
Charging	Single	Single	Single
Bad cell / Alkaline / Wrong polarity detection	✓	✓	✓
USB – In & Out	1x USB-C In	1x USB-C In	1x USB-C In
Accessoires	USB-C cable, 100cm, grey	USB-C cable, 100cm, grey	USB-C cable, 100cm, grey
Details	Page 37	Page 37	Page 37
EAN / GTIN consumer unit			



Plastic-free packaging



Plastic-free packaging

Eco Charger Multi Recycled	Eco Charger Multi Recycled
57682 101 111	57682 101 121
—	8x AA 2100 mAh 56816
135	135
230	230
35	35
290	550
137.5	137.5
29	29
125.5	125.5
168	168
4	4
5V	5V
—	—
1 h	1 h
Timer & Minus Delta V, control of temperature	Timer & Minus Delta V, control of temperature
✓	✓
1-8 AA, AAA	1-8 AA, AAA
NiMH	NiMH
External	External
LED	LED
8	8
Single	Single
✓	✓
1x USB-C In	1x USB-C In
USB-C cable, 100cm, grey	USB-C cable, 100cm, grey
Page 37	Page 37

Easy Chargers



Type	Mini Charger	Mini Charger	Mini Charger
Order-No. / consumer unit	57656 101 401	57656 201 421	57656 101 451
Equipped with	—	2 x AAA 800 mAh 56703	2 x AA 2100 mAh 56706
Blister dimensions	Width (mm)	80	80
	Height (mm)	195	195
	Depth (mm)	72	72
	Weight (g)	93	153
Product dimensions	Width (mm)	43	43
	Height (mm)	102.5	102.5
	Depth (mm)	63	63
	Weight (g)	64	64
Mastercarton / MOQ	4	4	4
Voltage (V)	100 - 240V	100 - 240V	100 - 240V
Plug	EURO	EURO	EURO
Charging time (Accus)	4.5 h	4.5 h	4.5 h
Charging time (external devices)	—	—	—
Shutdown function	Timer & Minus Delta V	Timer & Minus Delta V	Timer & Minus Delta V
Trickle charging	✓	✓	✓
Charging sizes	2 AA, AAA	2 AA, AAA	2 AA, AAA
Technology	NiMH	NiMH	NiMH
Power supply (internal - external)	Internal Plug (EURO)	Internal Plug (EURO)	Internal Plug (EURO)
Charging indication	LED	LED	LED
Charging channels	2	2	2
Charging	Pairwise	Pairwise	Pairwise
Bad cell / Alkaline / Wrong polarity detection	✓	✓	✓
USB – In & Out	—	—	—
Accessoires	—	—	—
Details	Page 39	Page 39	Page 39
EAN / GTIN consumer unit	 4 008496 054510	 4 008496 054541	 4 008496 054572



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Plug Charger	Universal Charger	Multi Charger
57657 101 451	57658 101 401	57659 101 401
4 x AA 2100 mAh 56706	—	—
100	180	180
195	240	240
73	58	43
261	329	207
73.5	153.5	137
116	128.5	101
65.5	49	26
107	245	123
4	3	4
100 - 240V	5V	5V
EURO	—	—
4.5 h	4.5 h	4.5 h
—	—	—
Timer & Minus Delta V	Timer & Minus Delta V	Timer & Minus Delta V
✓	✓	✓
2/4 AA, AAA	2/4 AA, AAA, C, D or 1x 9 V	2/4/6/8 AA, AAA
NiMH	NiMH	NiMH
Internal Plug (EURO)	External	External
LED	LED	LED
4	5	8
Pairwise	Pairwise	Pairwise
✓	✓	✓
—	1x USB-C In	1x USB-C In
—	USB-C cable, 50cm, white	USB-C cable, 50cm, white
Page 39	Page 39	Page 39
		

Lithium Coin



Type	CR1216*	CR1220*	CR1225*	CR1616*	CR1616*
IEC	CR1216	CR1220	CR1225	CR1616	CR1616
Order-No. / consumer unit	06216 101 401	06220 101 401	06225 101 401	06616 101 401	06616 101 402
Order-No. / consumer unit International version	—	06220 112 401	—	06616 112 401	—
Batteries / consumer unit	1	1	1	1	2
Width (mm) Blister	56	56	56	56	80
Height (mm) Blister	65	65	65	65	120
Depth (mm) Blister	7	7	7	7	4.5
Weight (g) Blister	3	3	3	3	7
Minimum pieces/ shipment unit	10	10	10	10	10
Innercarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	27	35	48	55	55
Height (mm) Battery	1.6	2.0	2.5	1.6	1.6
Diameter (mm) Battery	12.5	12.5	12.5	16.0	16.0
Weight (g) Battery	0.7	0.9	0.9	1.1	1.1
Details	Page 43	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit					

international Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com



CR1620*	CR1620*	CR1632*	CR1632*
CR1620	CR1620	CR1632	CR1632
06620 101 401	06620 101 402	06632 101 401	06632 101 402
06620 112 401	—	06632 112 401	—
1	2	1	2
56	80	56	80
65	120	65	120
7	4.5	7	4,5
3	8	4	9
10	10	10	10
10	10	10	10
100	100	100	100
3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium
70	70	137	137
2.0	2.0	3.2	3.2
16.0	16.0	16.0	16.0
1.3	1.3	1.8	1.8
Page 43	Page 43	Page 43	Page 43

International
Version





Back of the packaging with leporello
and additional languages:



*UL certified. Underwrites Laboratories www.ul.com

Lithium Coin



Type	CR2016*	CR2016*	CR2016*	CR2016*
IEC	CR2016	CR2016	CR2016	CR2016
Order-No. / consumer unit	06016 101 401	06016 101 402	06016 101 404	06016 101 415
Order-No. / consumer unit International version	06016 112 401	—	—	—
Batteries / consumer unit	1	2	4	5
Width (mm) Blister	56	80	80	80
Height (mm) Blister	65	120	120	120
Depth (mm) Blister	7	4.5	4.5	4.5
Weight (g) Blister	4	9	14	16
Minimum pieces / shipment unit	10	10	10	10
Innercarton	10	10	10	10
Mastercarton	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	90	90	90	90
Height (mm) Battery	1.6	1.6	1.6	1.6
Diameter (mm) Battery	20.0	20.0	20.0	20.0
Weight (g) Battery	1.8	1.8	1.8	1.8
Details	Page 43	Page 43	Page 43	Page 43
EAN/GTIN / consumer unit				

International Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com

					
CR2025*	CR2025*	CR2025*	CR2025*	CR2032*	CR2032*
CR2025	CR2025	CR2025	CR2025	CR2032	CR2032
06025 101 401	06025 101 402	06025 101 404	06025 101 415	06032 101 401	06032 101 402
06025 112 401	—	—	—	06032 112 401	—
1	2	4	5	1	2
56	80	80	80	56	80
65	120	120	120	65	120
7	4.5	4.5	4.5	7	4.5
4	10	16	20	5	11
10	10	10	10	10	10
10	10	10	10	10	10
100	100	100	100	100	100
3.0	3.0	3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium	Lithium	Lithium
165	165	165	165	230	230
2.5	2.5	2.5	2.5	3.2	3.2
20.0	20.0	20.0	20.0	20.0	20.0
2.5	2.5	2.5	2.5	3.0	3.0
Page 43	Page 43	Page 43	Page 43	Page 43	Page 43
					

International Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com

Lithium Coin



Type	CR2032*	CR2032*	CR2320*	CR2354*	CR2430*
IEC	CR2032	CR2032	CR2320	CR2354	CR2430
Order-No. / consumer unit	06032 101 404	06032 101 415	06320 101 401	06354 101 401	06430 101 401
Order-No. / consumer unit Int. version	—	—	—	—	06430 112 401
Batteries / consumer unit	4	5	1	1	1
Width (mm) Blister	80	80	56	56	56
Height (mm) Blister	120	120	65	65	65
Depth (mm) Blister	4.5	4.5	7	7	7
Weight (g) Blister	18	22	5	8	6
Minimum pieces / shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	230	230	135	530	290
Height (mm) Battery	3.2	3.2	2.0	5.4	3.0
Diameter (mm) Battery	20.0	20.0	23.0	23.0	24.5
Weight (g) Battery	3.0	3.0	2.9	6.4	4.0
Details	Page 43	Page 43	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit					

International Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com



CR2430*	CR2430*	CR2450*	CR2450*	CR2450*
CR2430	CR2430	CR2450	CR2450	CR2450
06430 101 402	06430 101 404	06450 101 401	06450 101 402	06450 101 404
—	—	06450 112 401	—	—
2	4	1	2	4
80	80	56	80	80
120	120	65	120	120
7	7	7	7	7
13	22	8	17	31
10	10	10	10	10
10	10	10	10	10
100	100	100	100	100
3.0	3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium	Lithium
290	290	570	525	570
3.0	3.0	5.0	5.0	5.0
24.5	24.5	24.5	24.5	24.5
4.0	4.0	6.2	6.2	6.2
Page 43	Page 43	Page 43	Page 43	Page 43
				

International Version

Back of the packaging with leporello and additional languages:



*UL certified. Underwrites Laboratories www.ul.com

Lithium Coin



Type	CR2477*	CR3032*	CR1/3N*
IEC	CR2477	CR3032	CR11108
Order-No. / consumer unit	06477 101 401	06732 101 401	06131 101 401
Order-No. / consumer unit Int. version	—	—	—
Batteries / consumer unit	1	1	1
Width (mm) Blister	56	56	56
Height (mm) Blister	65	65	65
Depth (mm) Blister	9	5	13
Weight (g) Blister	12	10	5
Minimum pieces / shipment unit	10	10	10
Innercarton	10	10	10
Mastercarton	100	100	100
Voltage (V)	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium
Typical capacity (mAh)	850	550	170
Height (mm) Battery	7.7	3.2	10.8
Diameter (mm) Battery	24.5	30.0	11.6
Weight (g) Battery	10.5	6.7	3.3
Details	Page 43	Page 43	Page 43
EAN/GTIN/ consumer unit			

*UL certified. Underwrites Laboratories www.ul.com

Energy - Lithium Coin



Type	CR2016*	CR2025*	CR2025*	CR2032*	CR2032*
IEC	CR2016	CR2025	CR2025	CR2032	CR2032
Order-No. / consumer unit	06016 229 405	06025 229 402	06025 229 405	06032 229 402	06032 229 405
Batteries / consumer unit	5	2	5	2	5
Width (mm) Blister	56	80	56	80	56
Height (mm) Blister	200	120	200	120	200
Depth (mm) Blister	4.5	4.5	4.5	4.5	4.5
Weight (g) Blister	16	10	20	10	22
Minimum pieces / shipment unit	20	10	20	10	20
Innecarton	20	10	20	10	20
Mastercarton	100	100	100	100	100
Voltage (V)	3.0	3.0	3.0	3.0	3.0
Electrochemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	87	160	160	210	210
Height (mm) Battery	1.6	2.5	2.5	3.2	3.2
Diameter (mm) Battery	20.0	20.0	20.0	20.0	20.0
Weight (g) Battery	1.8	2.5	2.5	3	3
EAN/GTIN / consumer unit	 4 008496 034529	 4 008496 034390	 4 008496 034581	 4 008496 034468	 4 008496 034727

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS


PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

*UL certified. Underwrites Laboratories www.ul.com

Lithium Cylindrical



Type	V28PXL*	CR-P2*	CR123A*	CR123A*	CR123A*
IEC	—	CR-P2	CR17345	CR17345	CR17345
Order-No. / consumer unit	06231 101 401	06204 301 401	06205 301 401	06205 301 402	06205 301 461
Batteries / consumer unit	1	1	1	2	10
Width (mm) Blister	56	80	80	80	167
Height (mm) Blister	65	120	120	120	120
Depth (mm) Blister	15	20	18	18	18
Weight (g) Blister	11	44	22	38	179
Minimum pieces / shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	100	100	100	100	10
Voltage (V)	6.0	6.0	3.0	3.0	3.0
Electro-chemical System	Lithium	Lithium	Lithium	Lithium	Lithium
Typical capacity (mAh)	170	1450	1430	1430	1430
Width (mm) Battery	—	19.5	—	—	—
Height (mm) Battery	25.1	36.0	34.5	34.5	34.5
Depth (mm) Battery	—	35.0	—	—	—
Diameter (mm) Battery	13.0	—	17.0	17.0	17.0
Weight (g) Battery	8.8	38.0	16.0	16.0	16.0
Details	Page 45	Page 45	Page 45	Page 45	Page 45
EAN/GTIN / consumer unit	 4 008496 1274 154	 4 008496 5372 42	 4 008496 5372 80	 4 008496 5373 27	 4 008496 9956 08

*UL certified. Underwrites Laboratories www.ul.com



2CR5*	CR1/2AA*	CR2*	CR2*	CR2*
2CR5	CR14250	CR15H270	CR15H270	CR15H270
06203 301 401	06127 101 401	06206 301 401	06206 301 402	06206 301 461
1	1	1	2	10
80	80	80	80	167
120	120	120	120	120
18	18	18	18	17
48	14	17	28	129
10	10	10	10	10
10	10	10	10	10
100	100	100	100	10
6.0	3.0	3.0	3.0	3.0
Lithium	Lithium	Lithium	Lithium	Lithium
1400	800	930	930	930
17.0	—	—	—	—
45.0	25.0	27.0	27.0	27.0
34.0	—	—	—	—
—	14.5	15.6	15.6	15.6
42.0	9.0	11.0	11.0	11.0
Page 45	Page 45	Page 45	Page 45	Page 45

Alkaline Special



Type	N	N	AAAA	V4034	V3GA
IEC	LR1	LR1	LR8D425, Mini	4LR44	LR41
Order-No. / consumer unit	04001 101 401	04001 101 402	04061 101 402	04034 101 401	24261 101 401
Order-No. / consumer unit Int. version	04001 112 401	—	—	—	—
Batteries / consumer unit	1	2	2	1	1
Width (mm) Blister	56	80	80	56	56
Height (mm) Blister	65	120	120	65	65
Depth (mm) Blister	13	12.5	10	15	7
Weight (g) Blister	12	24	17	12	3
Min. pieces/ shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	100	100	50	100	100
Voltage (V)	1.5	1.5	1.5	6.0	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Typical capacity (mAh)	850	850	620	170	32
Height (mm) Battery	30.2	30.2	42.5	25.2	3.6
Diameter (mm) Battery	12.0	12.0	8.3	13.0	7.9
Weight (g) Battery	10.0	10.0	6.7	10.15	0.62
Details	Page 47	Page 47	Page 47	Page 47	Page 47
EAN/GTIN/ consumer unit					

International Version

Back of the packaging with leporello and additional languages:



V10GA	V10GA	V11A	V12GA	V12GA
LR54	LR54	LR11	LR43	LR43
04274 101 401	04274 101 402	04211 101 401	04278 101 401	04278 101 402
04274 112 401	—	—	—	—
1	2	1	1	2
56	80	56	56	80
65	120	65	65	120
7	4,5	13	7	7
3	7	6	3	8
10	10	10	10	10
10	10	10	10	10
100	100	100	100	100
1.5	1.5	6.0	1.5	1.5
Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
50	50	55	120	120
3.05	3.05	16.5	4.2	4.2
11.6	11.6	10.2	11.6	11.6
1.18	1.18	4.3	1.52	1.52
Page 47	Page 47	Page 47	Page 47	Page 47

International Version

Back of the packaging with leporello and additional languages:



Alkaline Special




Type	V13GA	V13GA	V13GA	V23GA	V23GA
IEC	LR44	LR44	LR44	—	—
Order-No. / consumer unit	04276 101 401	04276 101 402	04276 101 404	04223 101 401	04223 101 402
Order-No. / consumer unit Int. version	04276 112 401	—	—	04223 112 401	—
Batteries / consumer unit	1	2	4	1	2
Width (mm) Blister	56	80	80	56	80
Height (mm) Blister	65	120	120	65	120
Depth (mm) Blister	7	7	7	13	12.5
Weight (g) Blister	4	9	14	10	20
Minimum pieces/ shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	1.5	1.5	1.5	12.0	12.0
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Typical capacity (mAh)	130	130	130	50	50
Height (mm) Battery	5.4	5.4	5.4	28.5	28.5
Diameter (mm) Battery	11.6	11.6	11.6	10.3	10.3
Weight (g) Battery	2.0	2.0	2.0	8.1	8.1
Details	Page 47	Page 47	Page 47	Page 47	Page 47
EAN/GTIN/ consumer unit	4 008496 129764 1	4 008496 174634 7	4 008496 017904	4 008496 126162 8	4 008496 174731 3

International Version

Back of the packaging with leporello and additional languages:





V27A	V27A	V625U
LR27	LR27	LR9
04227 101 401	04227 101 402	04626 101 401
04227 112 401	—	04626 112 401
1	2	1
56	80	56
65	120	65
13	12.5	7
7	14	5
10	10	10
10	10	10
100	100	100
12.0	12.0	1.5
Alkaline	Alkaline	Alkaline
19	19	150
28.2	28.2	6.2
8.0	8.0	16.0
4.85	4.85	3.5
Page 47	Page 47	Page 47
		

International Version

Back of the packaging with Leporello and additional languages:



Silver Coin



Type	V13GS/357	V76PX	V28PX	V321	V362
IEC	SR44	SR44	4SR44	SR65	SR58
Order-No. / consumer unit	04176 101 401	04075 101 401	04028 101 401	00321 101 401	00362 101 401
Order-No. / consumer unit	—	—	—	—	—
International version	—	—	—	—	—
Batteries / consumer unit	1	1	1	1	1
Width (mm) Blister	56	56	56	56	56
Height (mm) Blister	65	65	65	65	65
Depth (mm) Blister	7	7	15	7	7
Weight (g) Blister	4	4	13	2	2
Minimum pieces/shipment unit	10	10	10	10	10
Innecarton	10	10	10	10	10
Mastercarton	100	100	100	100	100
Voltage (V)	1.55	1.55	6.2	1.55	1.55
Electrochemical System	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide
Typical capacity (mAh)	125	145	145	14.5	21
Height (mm) Battery	5.4	5.4	25.2	1.65	2.1
Diameter (mm) Battery	11.6	11.6	13.0	6.8	7.9
Weight (g) Battery	2.33	2.4	11.1	0.25	0.39
Details	Page 49	Page 49	Page 49	Page 49	Page 49
EAN/GTIN/ consumer unit	 4 008496 273621	 4 008496 274062	 4 008496 273911	 4 008496 336630	 4 008496 317011

International Version

Back of the packaging with leporello and additional languages:



V364	V364	V371	V371	V377	V377	V379
SR60	SR60	SR69	SR69	SR66	SR66	SR63
00364 101 401	00364 101 402	00371 101 401	00371 101 402	00377 101 401	00377 101 402	00379 101 401
—	—	—	—	—	—	—
1	2	1	2	1	2	1
56	80	56	80	56	80	56
65	120	65	120	65	120	65
7	4.5	7	4.5	7	4.5	7
2	6	2	6	2	6	2
10	10	10	10	10	10	10
10	10	10	10	10	10	10
100	100	100	100	100	100	100
1.55	1.55	1.55	1.55	1.55	1.55	1.55
Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide	Silver oxide
17	17	30	30	21	21	15
2.15	2.15	2.1	2.1	2.6	2.6	2.15
6.8	6.8	9.5	9.5	6.8	6.8	5.8
0.31	0.31	0.57	0.57	0.34	0.34	0.23
Page 49	Page 49	Page 49	Page 49	Page 49	Page 49	Page 49

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

International Version
Back of the packaging with leporello and additional languages:



Silver Coin



Type	V390	V392	V394	V395
IEC	SR54	SR41	SR45	SR57
Order-No. / consumer unit	00390 101 401	00392 101 401	00394 101 401	00395 101 401
Batteries / consumer unit	1	1	1	1
Width (mm) Blister	56	56	56	56
Height (mm) Blister	65	65	65	65
Depth (mm) Blister	7	7	7	7
Weight (g) Blister	3	3	3	3
Minimum pieces/shipment unit	10	10	10	10
Innecarton	10	10	10	10
Mastercarton	100	100	100	100
Voltage (V)	1.55	1.55	1.55	1.55
Electrochemical System	Silver oxide	Silver oxide	Silver oxide	Silver oxide
Typical capacity (mAh)	59	40	58	38
Height (mm) Battery	3.05	3.6	3.6	2.7
Diameter (mm) Battery	11.6	7.9	9.5	9.5
Weight (g) Battery	1.16	0.62	0.88	0.68
Details	Page 49	Page 49	Page 49	Page 49
EAN/GTIN/ consumer unit	 4 008496 317219	 4 008496 317257	 4 008496 336463	 4 008496 317295


Special Batteries



Type	430	431	435	540
Order-No. / consumer unit	00430 101 111	00431 101 111	00435 101 111	00540 101 111
Voltage (V)	6.0	6.0	6.0	6.0
Capacity (Ah)	7.5	8.5	35	17
Width (mm)	67	67	136	130
Height (mm)	115	115	125	120
Depth (mm)	67	67	73	70
Weight (g)	493	516	1300	1059
Minimum pieces/shipment unit	1	1	1	1
Innercarton	—	—	—	5
Mastercarton	20	20	6	10
IEC	4R25X	4R25X	4LR25-2	4R25-2
Electrochemical System	Zinc-chlorid	Zinc-chlorid	Alkaline	Zinc-chlorid
EAN / GTIN consumer unit	 4 008496 171385	 4 008496 171392	 4 008496 149399	 4 008496 165629

Silver Coin

Packaging scheme Watch J-Packs



Type	V301	V303	V315	V317	V319	V321	V329
IEC	SR43	SR44	SR67	SR62	SR64	SR65	—
Order-No./ consumer unit	00301 101 111	00303 101 111	00315 101 111	00317 101 111	00319 101 111	00321 101 111	00329 101 111
Typical capacity (mAh)	82	175	20	10.5	21	14.5	37
Height (mm) Battery	4.2	5.4	1.65	1.65	2.7	1.65	3.1
Diameter (mm) Battery	11.6	11.6	7.9	5.8	5.8	6.8	7.9
Weight (g) Battery	1.47	2.33	0.33	0.18	0.29	0.25	0.58
EAN/GTIN/ consumer unit	 4 008496 245369	 4 008496 245420	 4 008496 245550	 4 008496 245611	 4 008496 245628	 4 008496 245857	 4 008496 245864

Silver Coin

V341	V344	V362	V364	V371	V373	V377	V379
—	SR42	SR58	SR60	SR69	SR68	SR66	SR63
00341 101 111	00344 101 111	00362 101 111	00364 101 111	00371 101 111	00373 101 111	00377 101 111	00379 101 111
15	105	21	17	30	28	21	15
1.45	3.6	2.1	2.15	2.1	1.65	2.6	2.15
7.9	11.6	7.9	6.8	9.5	9.5	6.8	5.8
0.29	1.45	0.39	0.31	0.57	0.5	0.34	0.23
							
V381	V384	V390	V394	V395	V397	V357*	V370*
SR55	SR41	SR54	SR45	SR57	SR59	SR44	SR69
00381 101 111	00384 101 111	00390 101 111	00394 101 111	00395 101 111	00397 101 111	00357 101 111	00370 101 111
49	37	59	58	38	23	143	30
2.1	3.6	3.05	3.6	2.7	2.6	5.4	2.1
11.6	7.9	11.6	9.5	9.5	7.9	11.6	9.5
0.86	0.62	1.16	0.88	0.68	0.45	1.98	0.57
							
V386*	V389*	V391*	V392*	V393*	V396*	V399*	
SR43	SR54	SR55	SR41	SR48	SR59	SR57	
00386 101 111	00389 101 111	00391 101 111	00392 101 111	00393 101 111	00396 101 111	00399 101 111	
115	81	42	40	77	32	42	
4.2	3.05	2.1	3.6	5.4	2.6	2.7	
11.6	11.6	11.6	7.9	7.9	7.9	9.5	
1.56	1.26	0.8	0.62	1.02	0.48	0.7	
							

*High Drain

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Special Batteries Reference List

VARTA

Type	Order-No.	Voltage (V)	Electrochem. System	Height (mm)	Diameter (mm)	Cross references					
						Panasonic	Duracell	Renata	GP	Energizer	IEC
CR1216	06216 101 401	3.0	Lithium	1.6	12.5	CR1216	1216	CR1216	CR1216	CR1216	CR1216
CR1220	06220 101 401	3.0	Lithium	2.0	12.5	CR1220	1220	CR1220	CR1220	CR1220	CR1220
CR1225	06225 101 401	3.0	Lithium	2.5	12.5	CR1225	—	CR1225	—	BR1225	CR1225
CR1616	06616 101 401	3.0	Lithium	1.6	16.0	CR1616	1616	CR1616	CR1616	CR1616	CR1616
CR1620	06620 101 401	3.0	Lithium	2.0	16.0	CR1620	1620	CR1620	CR1620	CR1620	CR1620
CR1632	06632 101 401	3.0	Lithium	3.2	16.0	CR1632	1632	CR1632	CR1632	CR1632	CR1632
CR2016	06016 101 401	3.0	Lithium	1.6	20.0	CR2016	2016	CR2016	CR2016	CR2016	CR2016
CR2025	06025 101 401	3.0	Lithium	2.5	20.0	CR2025	2025	CR2025	CR2025	CR2025	CR2025
CR2032	06032 101 401	3.0	Lithium	3.2	20.0	CR2032	2032	CR2032	CR2032	CR2032	CR2032
CR2320	06320 101 401	3.0	Lithium	2.0	23.0	—	—	CR2320	—	—	CR2320
CR2354	06354 101 401	3.0	Lithium	5.4	23.0	CR2354	—	—	—	—	CR2354
CR2430	06430 101 401	3.0	Lithium	3.0	24.5	CR2430	2430	CR2430	CR2430	CR2430	CR2430
CR2450	06450 101 401	3.0	Lithium	5.0	24.5	CR2450	2450	CR2450N	CR2450	CR2450	CR2450
CR2477	06477 101 401	3.0	Lithium	7.7	24.5	CR2477	—	CR2477N	—	—	CR2477
CR3032	06732 101 401	3.0	Lithium	3.2	30.0	CR3032	—	—	CR3032	—	CR3032
CR1/3N	06131 101 401	3.0	Lithium	10.8	11.6	—	1/3N	—	CR1/3N	2L76	CR 11108
V28PXL	06231 101 401	6.0	Lithium	25.1	13.0	—	28L	—	—	—	2CR13252
LR1/4001/N	04001 101 401	1.5	Alkaline	30.2	12.0	LR1	N/LR1	—	N	LR1/E90	LR1
AAAA	04061 101 402	1.5	Alkaline	42.5	8.3	—	AAAA	—	AAAA	AAAA	LR61
V4034	04034 101 401	6.0	Alkaline	25.2	13.0	4LR44	—	—	476A	A544	4LR44
V3GA	24261 101 401	1.5	Alkaline	3.6	7.9	LR41	—	—	192	—	LR41
V10GA	04274 101 401	1.5	Alkaline	3.05	11.6	LR1130	LR54	—	189	LR54/189	LR54
V11A	04211 101 401	6.0	Alkaline	16.5	10.2	—	MN11	—	11A	A11/E11	—
V12GA	04278 101 401	1.5	Alkaline	4.2	11.6	LR43	LR43	—	186	LR43/186	LR43
V13GA	04276 101 401	1.5	Alkaline	5.4	11.6	LR44	LR44	LR44	A76	LR44/A76	LR44
V23GA	04223 101 401	12	Alkaline	28.5	10.3	LRV08	MN21	—	23A	A23	—
V27A	04227 101 401	12	Alkaline	28.2	8.0	—	MN27	—	27A	A27	—
V625U	04626 101 401	1.5	Alkaline	6.2	16.0	—	625A	—	PX625A	EPX625G	LR9
V13GS	04176 101 401	1.55	Silver oxide	5.4	11.6	SR44	357/303	357	357/S76E/303	357/303	SR44
V28PX	04028 101 401	6.2	Silver oxide	25.2	13.0	4SR44	—	—	—	—	4SR44
V76PX	04075 101 401	1.55	Silver oxide	5.4	11.6	SR44	357/303	—	—	EPX76/SR44	SR44
CR-P2	06204 301 401	6.0	Lithium	36.0	—	CRP2	223/CR-P2	—	CR-P2	223	CR-P2
CR123A	06205 301 401	3.0	Lithium	34.5	17.0	CR123	123	—	CR123A	123	CR17345
2CR5	06203 301 401	6.0	Lithium	34.0	—	2CR5	C2CR5	—	2CR5	2CR5	2CR5
CR½AA	06127 101 401	3.0	Lithium	25.0	14.5	—	—	—	CR14250	—	CR14250
CR2	06206 301 401	3.0	Lithium	27.0	15.6	CR2	CR2	—	CR2	CR2	CR15H270

Special Batteries Reference List

VARTA						Cross references						
Type	Order-No.	Voltage (V)	Electrochem. System	Height (mm)	Diameter (mm)	Panasonic	Maxell, Toshiba	Duracell	Renata	GP	Energizer	IEC
V301	00301 101 111	1.55	Silver oxide	4.2	11.6	SR43	SR43SW	386/301	301	386	386/301	SR43
V303	00303 101 111	1.55	Silver oxide	5.4	11.6	—	SR44SW	303/357	303	357/S76E/303	357/303	SR44
V315	00315 101 111	1.55	Silver oxide	1.65	7.9	—	SR716SW	—	315	—	315	SR67
V317	00317 101 111	1.55	Silver oxide	1.65	5.8	SR516	SR516SW	—	317	317	317	SR62
V319	00319 101 111	1.55	Silver oxide	2.7	5.8	—	SR527SW	319	319	319	319	SR64
V321	00321 101 111	1.55	Silver oxide	1.65	6.8	SR616	SR616SW	—	321	321	321	SR65
V329	00329 101 111	1.55	Silver oxide	3.1	7.9	—	SR731SW	—	329	329	329	—
V341	00341 101 111	1.55	Silver oxide	1.45	7.9	—	SR714SW	—	341	—	341	—
V344	00344 101 111	1.55	Silver oxide	3.6	11.6	—	SR1136SW	—	344	—	344/350	SR42
V357*	00357 101 111	1.55	Silver oxide	5.4	11.6	SR44	SR44W	357/303	357	357/S76E/303	357/303	SR44
V362	00362 101 111	1.55	Silver oxide	2.1	7.9	SR721	SR721SW	362/361	362	362	362/361	SR58
V364	00364 101 111	1.55	Silver oxide	2.15	6.8	SR621	SR621SW	364	364	364/363	364/363	SR60
V370*	00370 101 111	1.55	Silver oxide	2.1	9.5	SR920	SR920W	371/370	370	371/370	371/370	SR69
V371	00371 101 111	1.55	Silver oxide	2.1	9.5	SR920	SR920SW	371/370	371	371/370	371/370	SR69
V373	00373 101 111	1.55	Silver oxide	1.65	9.5	—	SR916SW	—	373	373	373	SR68
V377	00377 101 111	1.55	Silver oxide	2.6	6.8	SR626	SR626SW	377	377	377/376	377/376	SR66
V379	00379 101 111	1.55	Silver oxide	2.15	5.8	SR521	SR521SW	379	379	379	379	SR63
V381	00381 101 111	1.55	Silver oxide	2.1	11.6	SR1120	SR1120SW	391/381	381	—	391/381	SR55
V384	00384 101 111	1.55	Silver oxide	3.6	7.9	SR41	SR41SW	392/384	384	392/384	392/384	SR41
V386*	00386 101 111	1.55	Silver oxide	4.2	11.6	SR43	SR43W	386/301	386	386	386/301	SR43
V389*	00389 101 111	1.55	Silver oxide	3.05	11.6	SR1130	SR1130W	389/390	389	389/390/398	390/389	SR54
V390	00390 101 111	1.55	Silver oxide	3.05	11.6	SR1130	SR1130SW	389/390	390	389/390/398	390/389	SR54
V391*	00391 101 111	1.55	Silver oxide	2.1	11.6	SR1120	SR1120W	391/381	391	391	391/381	SR55
V392*	00392 101 111	1.55	Silver oxide	3.6	7.9	SR41	SR41W	392/384	392	392/384	392/384	SR41
V393*	00393 101 111	1.55	Silver oxide	5.4	7.9	—	SR754W	309/393	393	393	393/309	SR48
V394	00394 101 111	1.55	Silver oxide	3.6	9.5	SR936	SR936SW	394	394	394	394/380	SR45
V395	00395 101 111	1.55	Silver oxide	2.7	9.5	SR927	SR927SW	399/395	395	395/399	395/399	SR57
V396*	00396 101 111	1.55	Silver oxide	2.6	7.9	SR726	SR726W	396/397	396	396	397/396	SR59
V397	00397 101 111	1.55	Silver oxide	2.6	7.9	SR726	SR726SW	396/397	397	—	397/396	SR59
V399*	00399 101 111	1.55	Silver oxide	2.7	9.5	SR927	SR927W	399/395	399	395/399	395/399	SR57

*High Drain

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Hearing Aid Batteries

MD *



Type	10	10	13	13	13
IEC	PR70	PR70	PR48	PR48	PR48
Order-No. / consumer unit	24610 101 416	24610 101 418	24606 101 416	24606 101 418	24606 101 424
Batteries /consumer unit	6	8	6	8	24
Width (mm) Blister	48	48	48	48	51
Height (mm) Blister	94	94	94	94	97
Depth (mm) Blister	4.8	4.8	6.6	6.6	24
Weight (g) Blister	5	6	8	9	33
Minimum pieces / shipment unit	10	10	10	10	12
Mastercarton	50	50	50	50	12
Voltage (V)	1.45	1.45	1.45	1.45	1.45
Electro-chemical System	Zinc-Air	Zinc-Air	Zinc-Air	Zinc-Air	Zinc-Air
Height (mm) Battery	3.6	3.6	5.4	5.4	5.4
Diameter (mm) Battery	5.8	5.8	7.9	7.9	7.9
Weight (g) Battery	0.3	0.3	0.8	0.8	0.8
Details	Page 53	Page 53	Page 53	Page 53	Page 53
EAN/GTIN/ consumer unit					

*Compliant with Medical Devices Regulation (EU) 2017/745



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW



312	312	312	675
PR41	PR41	PR41	PR44
24607 101 416	24607 101 418	24607 101 424	24600 101 416
6	8	24	6
48	48	51	48
94	94	97	94
4.8	4.8	24	6.6
6	7	26	13
10	10	12	10
50	50	12	50
1.45	1.45	1.45	1.45
Zinc-Air	Zinc-Air	Zinc-Air	Zinc-Air
3.6	3.6	3.6	5.4
7.9	7.9	7.9	11.6
0.5	0.5	0.5	1.8
Page 53	Page 53	Page 53	Page 53
 4 043752 393569	 4 043752 393712	 4 008496 076949	 4 043752 393545

Night Cutter



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	Night Cutter Pro F40R	Night Cutter Pro F30R	Night Cutter Pro F20R	Night Cutter Pro F20R Tactical
Order-No. / consumer unit	18922 101 111	18921 101 111	18920 101 111	18923 101 111
Minimum pieces/ shipment unit	4	4	4	4
Blister dimensions	Width (mm)	100	100	100
	Height (mm)	330	230	230
	Depth (mm)	48	48	48
	Weight (g)	490	360	330
Product dimensions	Length (mm)	234	169	161
	Width (mm)	—	—	—
	Depth (mm)	—	—	—
	Diameter (mm)	44	42	39
	Weight (g)	379	261	232
Housing	Aluminium, PC, ABS, Silicone	Aluminium, PC, ABS, Silicone	Aluminium, PC, ABS, Silicone	Aluminium, PC, ABS, Silicone
Bulb equipment	1x CREE LED	1x CREE LED	1x Samsung LED	1x Samsung LED
Runs with	2x Li-Ion 2600mAh battery	Li-Ion 2600mAh battery (rechargeable)	Li-Ion 2600mAh battery (rechargeable)	Li-Ion 2600mAh battery (rechargeable)
Beam range	350 m	280 m	200 m	200 m
Runtime	48 h	24 h	22 h	22 h
Luminous intensity (Lumens)	2000 lm	1500 lm	1000 lm	1000 lm
Details	Page 58	Page 58	Page 58	Page 58
EAN/GTIN/ consumer unit				

Indestructible Pro



Indestructible F30 Pro	Indestructible F20 Pro	Indestructible F10 Pro	Indestructible BL20 Pro
18714 101 421	18711 101 421	18710 101 421	18751 101 421
3	4	4	2
150	135	100	180
330	280	230	240
53	40	42	96
547	237	185	732
228	167	138	150
—	—	—	84
—	—	—	125
54.5	42	43.5	84
363	157	132	520
Aluminium, PC, Silicon rubber	Aluminium, TPR, PC	Aluminium, TPR, PC	PC, TPR
1x 6 Watt LED	1x 6 Watt LED	1x 6 Watt LED	1x 6 Watt LED
6x AA Longlife Power (incl.)	2x AA Longlife Power (incl.)	3x AAA Longlife Power (incl.)	6x AA Longlife Power (incl.)
285 m	160 m	183 m	450 m
75 h	55 h	40 h	100 h
750 lm	400 lm	350 lm	450 lm
Page 60	Page 60	Page 60	Page 60
 4 008496 987269	 4 008496 987238	 4 008496 987207	 4 008496 987115

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Indestructible Pro



Plastic-free packaging

Type	Indestructible H20 Pro	Indestructible L30 Pro	Indestructible Key Chain Light
Order-No. / consumer unit	17732 101 421	18761 101 111	16701 101 421
Minimum pieces / shipment unit	4	4	6
Blister dimensions	Width (mm)	100	122
	Height (mm)	230	340
	Depth (mm)	55	102
	Weight (g)	127	635
Product dimensions	Length (mm)	47	215
	Width (mm)	68	107.2
	Depth (mm)	36.5	—
	Diameter (mm)	—	98.3
	Weight (g)	74.5	623
Housing	ABS Plastic, PC, TPR	ABS Plastic, PC, TPE Rubber	ABS Plastic, Rubber
Bulb equipment	1x 4 Watt LED	1x 6 Watt LED	1x 5mm LED
Runs with	3x AAA Longlife Power (incl.)	6x AA Longlife Power (not incl.)	1x AAA Longlife Power (incl.)
Beam range	100 m	20 m	10 m
Runtime	23 h	360 h	3.5 h
Luminous intensity (Lumens)	370 lm	450 lm	12 lm
Details	Page 63	Page 63	Page 63
EAN/GTIN/ consumer unit	4 008496 987177	4 008496 987146	4 008496 808052

Outdoor Sports



Outdoor Sports Ultralight H30R	Outdoor Sports H10 Pro	Outdoor Sports H20 Pro
18631 101 401	16650 101 421	17650 101 421
4	4	4
100	100	100
230	230	230
49	40	40
74	116	117
40.2	45	45
48.5	67	67
41	35.6	35.6
—	—	—
47	57	57.7
ABS Plastic, PMMA	PC, POM, TPE, PMMA, ABS	PC, POM, TPE, PMMA, ABS
1x 3 Watt LED	1x 3mm LED	2x 3mm LED
Li-Polymer 600mAh battery (rechargeable)	3x AAA Longlife Power (incl.)	3x AAA Longlife Power (incl.)
91 m	45 m	50 m
21 h	35 h	52 h
300 lm	100 lm	200 lm
Page 65	Page 66	Page 66
		

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Outdoor Sports



Type	Outdoor Sports F30	Outdoor Sports F20	Outdoor Sports F10
Order-No./consumer unit	18629 101 421	18628 101 421	17627 101 421
Minimum pieces/ shipment unit	3	4	4
Blister dimensions	Width (mm)	150	135
	Height (mm)	330	280
	Depth (mm)	53	40
	Weight (g)	552	192
Product dimensions	Length (mm)	250	160
	Width (mm)	—	—
	Depth (mm)	—	—
	Diameter (mm)	50	37
	Weight (g)	312.7	112.8
Housing	Aluminium, Silicon rubber, TPE	Aluminium, Silicon rubber, TPE	Aluminium, Silicon rubber, TPE
Bulb equipment	1x 6 Watt LED	1x 6 Watt LED	1x 5 Watt LED
Runs with	3x C Longlife Power (incl.)	2x AA Longlife Power (incl.)	3x AAA Longlife Power (incl.)
Beam range	145 m	153 m	130 m
Runtime	120 h	33 h	40 h
Luminous intensity (Lumens)	350 lm	290 lm	250 lm
Details	Page 68	Page 68	Page 68
EAN/GTIN/ consumer unit	 4 008496 927661	 4 008496 927630	 4 008496 927609



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Outdoor Lantern L10	Outdoor Lantern L20R	Dynamo Lantern L10RH
16550 101 111	17550 101 111	17670 101 111
4	4	6
—	—	94
200	235	106
100	126	94
362	513	209
180	208	102
—	—	—
—	—	—
91	104	92
262	400	187
ABS, PC, GPPS, TPE, Silicon Rubber	ABS, PC, GPPS, TPE, Silicon Rubber	ABS, PP, TPE
L10: 1x 3.8 Watt CREE XT-E warm white LED	1x 5 Watt OSRAM GW PUSRA1.PW warm white LED	1x SMD white LED + 1x SMD red LED
4x AA Longlife Power (not incl.)	1x 2600mAh Li-Ion battery (rechargeable)	1x 350mAh Li-Ion battery (rechargeable)
15 m	16 m	6 m
50 h	44 h	12 h
170 lm	420 lm	50 lm
Page 69	Page 69	Page 67

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS


PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Work Flex



Type	Work Flex Motion Sensor H20	Work Flex Pocket Light	VARTA Work Flex® Multifunction Light F20R	Work Flex Area Light
Order-No. / consumer unit	18648 101 421	17647 101 421	18649 101 401	17648 101 421
Minimum pieces / shipment unit	4	4	6	2
Blister dimensions	Width (mm)	100	100	135
	Height (mm)	230	230	280
	Depth (mm)	43	35	61
	Weight (g)	127	116	267
Product dimensions	Length (mm)	63	173	119
	Width (mm)	37	24	69
	Depth (mm)	50	31	62
	Diameter (mm)	—	—	—
	Weight (g)	72.3	61.9	163.4
Housing	ABS Plastic, PC, Rubber	ABS Plastic, PC, TPR	ABS Plastic, Rubber	ABS Plastic, PC
Bulb equipment	1x 3 Watt LED + 1x COB LED	Cree XTE LED + COB LED	1x COB LED, 1x SMD LED	1x COB LED
Runs with	3x AAA Longlife Power (incl.)	3x AAA Longlife Power (incl.)	Li-Ion 350 mAh battery (rechargeable)	3x AA Longlife Power (incl.)
Beam range	78 m	40 m	20 m	22 m
Runtime	20 h	12 h	6 h	35 h
Luminous intensity (Lumens)	150 lm	110 lm	100 lm	230 lm
Details	Page 71	Page 73	Page 73	Page 73
EAN/GTIN/ consumer unit	 4 008496 996070	 4 008496 977925	 4 008496 057269	 4 008496 977956

**Work Light BL40**

18660 101 421

2

280

390

130

2109

240

128

270

—

617

Aluminium Alloy, ABS Plastic, POM, PC, Metal, Rubber

Cree XR LED


1x 4LR25-2 Longlife Power (incl.)

320 m

270 h

350 lm

Page 73

**Work Flex Stadium Light**

18647 101 401

4

270

246

67

537

159

199

42

—

438

PC, ABS Plastic, TPR Rubber, POM

1x COB LED


Li-Ion 5200 mAh battery (rechargeable)

45 m

15 h

1450 lm

Page 71



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Day Light Multi LED



Type	Day Light Multi LED F30	Day Light Multi LED F20	Day Light Multi LED F10	Day Light Key Chain Light
Order-No. / consumer unit	17612 101 421	16632 101 421	16631 101 421	16605 101 421
Minimum pieces / shipment unit	4	6	6	4
Blister dimensions	Width (mm)	150	100	100
	Height (mm)	330	230	230
	Depth (mm)	65	46	42
	Weight (g)	509	158	110
Product dimensions	Length (mm)	197.5	163.5	126.5
	Width (mm)	—	—	—
	Depth (mm)	—	—	—
	Diameter (mm)	63	45	39
	Weight (g)	195	90	66.9
Housing	ABS Plastic, Aluminium, TPR, AS	Aluminium, ABS, AS, TPR	ABS Plastic, Aluminium, TPR, PC	ABS Plastic, Aluminium, TPR, PC
Bulb equipment	14x 5mm LED	1x High-performance LED	5x 5mm LED	1x 5mm LED
Runs with	2x D Longlife Power (incl.)	2x AA Longlife Power (incl.)	1x AA Longlife Power (incl.)	1x AAA Longlife Power (incl.)
Beam range	32 m	45 m	20 m	22 m
Runtime	130 h	40 h	9 h	6.5 h
Luminous intensity (Lumens)	90 lm	60 lm	30 lm	12 lm
Details	Page 83	Page 83	Page 83	Page 83
EAN/GTIN/ consumer unit	 4 008496 987559	 4 008496 987528	 4 008496 987498	 4 008496 987467

Aluminium Lights



Type	Aluminium Light F10 Pro	Aluminium Light F20 Pro	Aluminium Light F30 Pro	Metal Key Chain Light
Order-No. / consumer unit	16606 101 421	16607 101 421	17608 101 421	16603 101 401
Minimum pieces / shipment unit	6	6	4	6
Blister dimensions	Width (mm)	80	100	100
	Height (mm)	195	230	230
	Depth (mm)	17	25	36
	Weight (g)	70	141	169
Product dimensions	Length (mm)	133	164.1	128.7
	Width (mm)	—	—	—
	Depth (mm)	—	—	—
	Diameter (mm)	20	26.2	36
	Weight (g)	36.8	74.8	110
Housing	Aluminium, PC, Silicone Rubber	Aluminium, PC, Silicone Rubber	Aluminium, PC, Silicone Rubber	Zinc alloy, TPR
Bulb equipment	1x OSRAM LED	1x LED	1x LED	1x 5mm LED
Runs with	2x AAA Longlife Power (incl.)	2x AA Longlife Power (incl.)	3x AAA Longlife Power (incl.)	2x CR2016 (incl.)
Beam range	45 m	70 m	150 m	11 m
Runtime	25 h	35 h	50 h	6 h
Luminous intensity (Lumens)	175 lm	250 lm	400 lm	15 lm
Details	Page 75	Page 75	Page 75	Page 75
EAN/GTIN / consumer unit	4 008496 056422	4 008496 056446	4 008496 056453	4 008496 088326

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES


LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW


Special Lights



Type	UV Light	Pen Light	Lipstick Light	Palm Light
Order-No. / consumer unit	15638 101 421	16611 101 421	16617 101 421	16645 101 421
Minimum pieces / shipment unit	4	6	4	6
Blister dimensions	Width (mm)	100	80	100
	Height (mm)	230	195	230
	Depth (mm)	36	15	42
	Weight (g)	125	38	213
Product dimensions	Length (mm)	118	117	110
	Width (mm)	—	18	69
	Depth (mm)	—	—	37
	Diameter (mm)	33	14	—
	Weight (g)	66	16	85
Housing	Aluminium, ABS, Silicon Rubber	Aluminium, Plastic, TPR, ABS, PC	Aluminium, Silicon rubber	Metal, PS, PP Plastic
Bulb equipment	14x UV LED	1x 5mm LED	1x 0.5 Watt LED	1x 3.70V; 0.30A Normal
Runs with	3x AAA Longlife Power (incl.)	1x AAA Longlife Power (incl.)	1x AA Longlife Power (incl.)	1x 3R12 Super Heavy Duty (incl.)
Beam range	4.8 m	11 m	25 m	75 m
Runtime	8.5 h	15 h	3 h	3.5 h
Luminous intensity (Lumens)	UV wave range: 395-400nm	3 lm	19 lm	15 lm
Details	Page 88	Page 88	Page 89	Page 89
EAN/GTIN / consumer unit	 4 008496 036080	 4 008496 678044	 4 008496 746507	 4 008496 677566



 Plastic-free packaging

Dynamo Light	Book Light	Magnetic Safety Light
17680 101 401	16618 101 421	16621 101 121
4	6	4
100	100	80
230	230	195
44	33	31
170	59	78
142	255	49.5
52	28	21.7
42	35	45.8
—	—	—
145	30	31
ABS Plastic, PC, TPR	ABS Plastic, PC	PC, ABS, PVC, Silicone
3x 5mm white LED	1x 5mm LED	1x SMD white LED + 1x SMD red LED
Li-Ion 120 mAh battery (rechargeable)	2x CR2032 (incl.)	2x CR2032 (incl.)
24 m	4 m	—
1.3 h	26 h	15 h 45h (Blinking, on to off)
28 lm	9 lm	25 lm
Page 88	Page 87	Page 87
 4 008496 677009	 4 008496 772599	 4 008496 121373

Home Lights



Type	Motion Sensor Night Light	Motion Sensor Night Light Twin Pack	Motion Sensor Outdoor Light	Motion Sensor Outdoor Light Twin Pack
Order-No. / consumer unit	16624 101 421	16624 101 402	16634 101 421	16634 101 402
Flashlights	1	2	1	2
Minimum pieces / shipment unit	4	4	5	4
Blister dimensions	Width (mm)	100	168	100
	Height (mm)	230	237	230
	Depth (mm)	25	31	25
	Weight (g)	116	178	113
Product dimensions	Length (mm)	96	96	96
	Width (mm)	63	63	63
	Depth (mm)	23	23	25
	Diameter (mm)	—	—	—
	Weight (g)	63.6	63.6	60.2
Housing	ABS, POM	ABS, POM	ABS, PET, POM, Rubber	ABS, PET, POM, Rubber
Bulb equipment	1x Warm white LED	1x Warm white LED	1x Warm white LED	1x Warm white LED
Accessoires	3x AAA Longlife Power (incl.)	3x AAA Longlife Power (not incl.)	3x AAA Longlife Power (incl.)	3x AAA Longlife Power (not incl.)
Beam range	4.8 m	4.8 m	7 m	7 m
Runtime	28 h	28 h	60 h	60 h
Luminous intensity (Lumens)	17 lm	17 lm	40 lm	40 lm
Details	Page 79	Page 79	Page 79	Page 79
EAN/GTIN/ consumer unit	 4 008496 020867	 4 008496 036035	 4 008496 065059	 4 008496 065080



Plastic-free packaging

Motion Sensor Slim Light	Motion Sensor Plug Light	Kids Flashlight
17624 101 111	18624 101 401	15650 101 421
1	1	1
6	4	6
80	110	100
266	195	230
18	58	43
148	132	125
240	93	154
40	76	—
16.6	57	—
—	—	41
113.3	87.1	57.2
Aluminium, PC, ABS, PMMA	PC	ABS, PC, TP
1x Warm white LED	4x warm white LED	1x 5mm white LED
Li-Polymer 650 mAh battery (rechargeable) USB-C cable included	EURO Plug	2x AA Longlife Power (incl.)
10 m	5 m	4 m
3.5 h	∞	70 h
80 lm	18 lm	10 lm
Page 77	Page 79	Page 83

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Energy Power Banks



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	Power Bank Energy 5000	Power Bank Energy 10000	Power Bank Energy 15000	Power Bank Energy 20000
Order-No./ consumer unit	57975 101 111	57976 101 111	57977 101 111	57978 101 111
Minimum pieces / shipment unit	2	2	2	2
Blister dimensions	Width (mm)	100	100	120
	Height (mm)	195	195	230
	Depth (mm)	31	24	31
	Weight (g)	228	311	519
Product dimensions	Width (mm)	72.5	73	78.5
	Height (mm)	137.5	138	157
	Depth (mm)	10.5	15	22
	Weight (g)	150	233	435
Voltage (V)	3.7	3.7	3.7	3.7
Capacity (mAh)	5.000	10.000	15.000	20.000
Input	1x USB-C 12W	1x USB-C PD 18W	1x USB-C PD 18W	1x USB-C PD 18W
Output	1x USB C 12W 1x USB A 12W	2x USB-C PD 20W	2x USB-C PD 20W	2x USB-C PD 20W
Battery Technology	Li-Polymer	Li-Polymer	Li-Polymer	Li-Polymer
Technologies	PD & QC	PD & QC	PD & QC	PD & QC
Charging indication	4 LED	4 LED	4 LED	4 LED
Accessoires	USB-C cable, 50 cm, black	USB-C cable, 50 cm, black	USB-C cable, 50 cm, black	USB-C cable, 50 cm, black
Details	Page 93	Page 93	Page 93	Page 93
EAN/GTIN/ consumer unit				

Wireless Power Banks



Wireless Power Bank 10000

57913 101 111

2

100

195

31

301

77.5

157.5

15

245

3.7

10000

1x USB-C PD 18W

1x USB-C PD 20W
2x USB A QC 18W
1x Wireless 10 W

Li-Polymer

PD & QC, Qi-Standard

4 LED

USB-C cable, 50cm, white

Page 95



4



Wireless Power Bank 15000

57908 101 111

2

100

195

31

410

79

160

19.5

341

3.7

15000

1x USB-C PD 18W

1x USB-C PD 20W
2x USB A QC 18W
1x Wireless 10W

Li-Polymer

PD & QC, Qi-Standard

4 LED

USB-C cable, 50cm, white

Page 95



4



Wireless Power Bank 20000

57909 101 111

2

120

230

31

513

79

160

24

438

3.7

20000

1x USB-C PD 18W

1x USB-C PD 20W
2x USB A QC 18W
1x Wireless 10W

Li-Polymer

PD & QC, Qi-Standard

4 LED

USB-C cable, 50cm, white

Page 95



4

Mag Pro Power Banks / High Performance Power Banks



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	Mag Pro Wireless Power Bank 5000	Mag Pro Wireless Power Bank 10000	Mag Pro Wireless Power Bank 10000	High Speed Power Bank 27000
Order-No. / consumer unit	57903 101 111	57904 101 111	57903 201 111	57984 101 111
Minimum pieces / shipment unit	2	2	2	2
Blister dimensions	Width (mm)	100	100	120
	Height (mm)	195	195	230
	Depth (mm)	24	31	63
	Weight (g)	189	278	923
Product dimensions	Width (mm)	61.4	62	52
	Height (mm)	92.4	93	155
	Depth (mm)	15.3	25.6	50
	Weight (g)	135	216	651
Voltage (V)	3.7	3.7	3.7	3.7
Capacity (mAh)	5.000	10.000	5.000	27.000
Input	1x USB-C PD 10W	1x USB-C PD 18W	1x USB-C PD 10W	2x USB-C PD3.1 90W max.
Output	1x USB-C PD 12W 1x Wireless 7.5W	1x USB-C PD 18W 1x USB-C PD 20W 1x Wireless 10W	1x USB-C PD 12W 1x Wireless 7.5W	2x USB-C PD3.1 65W max. 1x USB-A QC 18W max.
Battery Technology	Li-Polymer	Li-Polymer	Li-Polymer	Li-Ion
Technologies	MagSafe Qi-Standard PD	MagSafe Qi-Standard PD	MagSafe Qi-Standard PD	PD 140W Laptop-compatible Airplane safe
Charging indication	Illuminated logo	Illuminated logo	Illuminated logo	LCD Display
Accessoires	—	—	—	USB-C cable
Details	Page 99	Page 99	Page 99	101
EAN/GTIN/ consumer unit				

*Preliminary information. Subject to change.

Accessories



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Mag Pro Wireless Car Charger	Car Charger	High Speed Charger	Speed Charger
57902 101 111	57933 101 111	57956 101 401	57955 101 111
4	4	4	4
100	80	80	80
195	195	195	195
38	35	35	35
156	75	175	145
60.5	31	34.5	36.1
91.5	76	108	89.5
75	—	28	30.7
77	37	137	101
—	—	—	—
—	—	—	—
1x USB-C PD 20W	12V / 24 V	100 - 240 V	100 - 240 V
1x Wireless 15W	1x USB-C PD 20W 1x USB A QC 25W	2x USB-C PD 65W 1x USB A QC 30W	1x USB-C PD 18W 1x USB A QC 20W
—	—	—	—
MagSafe Qi-Standard	—	GaN	GaN
1 LED	1 LED	—	—
USB-C cable, 100cm, black	—	—	—
Page 103	Page 103	Page 99	Page 99

Accessories



Plastic-free packaging



Plastic-free packaging



Plastic-free packaging

Type	Speed Charge & Sync Cable USB A to USB Type C	Speed Charge & Sync Cable USB Type C to USB Type C	3in1 Speed Charge & Sync Cable USB A to Micro USB, Type C, Lightning
Order-No. / consumer unit	57935 101 111	57936 101 111	57937 101 111
Width (mm) Blister	80	80	80
Height (mm) Blister	195	195	195
Depth (mm) Blister	24	24	24
Weight (g) Blister	67	97	72
Minimum pieces / shipment unit	6	6	6
Mastercarton	6	6	6
Width (mm) Product	—	—	—
Height (mm) Product	2000	2000	2000
Depth (mm) Product	—	—	—
Diameter (mm) Product	—	—	—
Weight (g) Product	50	80	55
Input	—	—	—
Output	60 W	100 W	12 W
Technologies	—	—	—
Charging indication	—	—	—
Accessoires	—	—	—
Details	Page 105	Page 105	Page 105
EAN/GTIN/ consumer unit			



PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS


PORTABLE POWER

PRODUCT DISPLAY
SYSTEMS

ASSORTMENT
OVERVIEW

Hearing Aid Battery Clip Strip

Special Battery Clip Strip




Type	Clip Strip, delivered garnished	Clip Strip 97660 112 801 delivered garnished
Order-No. / consumer unit	97649 112 801	97660 112 8xx
Height (cm)	70	98.8
Width (cm)	12	12.0
Depth (cm)	0.1	0.1
Facings	20	—
Garnishing	10x 24607 101 416 (312 Bli 6) 10x 24606 101 416 (13 Bli 6)	10x 6032 101 415 (CR2032 Bli5) 10x 6025 101 415 (CR2025 Bli5)
EAN/GTIN consumer unit		

Availability upon request. Please get in touch with your local VARTA contact.

Special Battery Displays



Type	Display 93869 112 811 delivered garnished	Display 93769 112 822 delivered garnished
Order-No. / consumer unit	93869 112 811	93769 112 822
Height (cm)	28	28
Width (cm)	18	45
Depth (cm)	17	17
Facings	2	5
Garnishing	20x 6025 101 402 (CR2025 Bli2) 20x 6032 101 402 (CR2032 Bli2)	40x 6032 101 402 (CR2032 Bli2) 20x 6025 101 402 (CR2025 Bli2) 20x 6016 101 402 (CR2016 Bli2) 20x 4276 101 402 (V13GA Bli2)
EAN/GTIN consumer unit	 4 008496 900466	 4 008496 999415

Availability upon request. Please get in touch with your local VARTA contact.

Battery Shaped Displays

All Metal Stands:
Rework for VLK-Blisters in development

METAL



Type	Battery Shaped Sales Stand, Metal 9026 260 001 delivered empty	Battery Shaped, Metal 9026 160 006 delivered empty	Battery Shape Bulk, Metal delivered empty
Order-No. / consumer unit	9026 260 001	9026 160 006	9026 270 002
Height (cm)	165	61	105
Ground area (cm)	60x40	25x19	53x53
Hooks (incl.)	40	6	—
Hooks length (cm)	20	20	—
Hook refills	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	—	—
EAN / GTIN consumer unit			


If required, please contact your representative at VARTA Sales.

Tower Displays



Type	Small Battery Center 9026 300 190 delivered empty	Metal Floor Display 9026 255 072 delivered empty	Metal Counter Display 9026 150 032 delivered empty
Order-No. / consumer unit	9026 300 190	9026 255 072	9026 150 032
Height (cm)	190	164	66
Ground area (cm)	99x54	38x38	32x32
Hooks (incl.)	184	72	32
Hooks length (cm) -25	54	—	—
Hooks length (cm) -20	130	72	—
Hooks length (cm) -12	—	—	32
Hooks refills	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box Order No. 9006 255 225 Hook length: 25 cm Shipping unit: 20 pieces/box	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box Order No. 9006 255 225 Hook length: 25 cm Shipping unit: 20 pieces/box	—
EAN / GTIN consumer unit			

View from above



Four sides can be stocked with products

- ▼ Inclusive information panels (left and right)
- ▼ Inclusive basket for additional product placement

If required, please contact your representative at VARTA Sales.

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

ASSORTMENT OVERVIEW

Spearhead Floor Displays


METAL

ON
DEMAND



Type	Spear Head Sales Stand 9026 200 066 delivered empty	Spear Head Sales Stand 9026 200 054 delivered empty	Spear Head Sales Stand 9026 200 036 delivered empty
Order-No. / consumer unit	9026 200 066	9026 200 054	9026 200 036
Height (cm)	190	164	164
Ground area (cm)	60x40	60x40	40x40
Hooks (incl.)	66	54	36
Hooks length (cm) -20	66	54	36
Hooks refills	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box

EAN / GTIN
consumer unit



Side panels installation
optional sidewise (distant)
or forward-facing



Type

Order-No. /
consumer unit
Height (cm)
Width (cm)
Depth (cm)



Refill basket
9026 210 060

Refill basket
9026 210 040

9026 210 060

9026 210 040

12.5

12.5


58.5

39

22

22

EAN / GTIN
consumer unit



Side Panels
9026 215 001
(compatible with sales stand
9026 200 054, 9026 200 036
and 9026 200 066)

9026 215 001

102

15.5

0.5



If required, please contact your representative at VARTA Sales.

Spearhead Floor Displays

METAL



Type	Spear Head Sales Stand 9026 202 018 delivered empty	Spear Head Sales Stand 9026 202 042 delivered empty
Order-No. / consumer unit	9026 202 018	9026 202 042
Height (cm)	164	127
Ground area (cm)	38x38	59x38
Hooks (incl.)	18	42
Hooks length (cm) -20	18	42
Hooks refills	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box
EAN / GTIN consumer unit	 4 008496 179983 1	 4 008496 800353

Spearhead Counter Display


METAL




Type	Metal Counter Display 9026 100 008 delivered empty	Metal Counter Display 9026 100 108 delivered empty	Metal Counter Display 9026 100 012 delivered empty	Metal Counter Display 9026 100 020 delivered empty
Order-No. / consumer unit	9026 100 008	9026 100 108	9026 100 012	9026 100 020
Height (cm)	51	51	51	80
Ground area (cm)	20x23	20x23	38x26	38x26
Hooks (incl.)	8 for garnishing with battery blister (standard or mega) only 6 of 8 hooks can be used	8	12	20
Hooks length (cm) -10	—	8	—	—
Hooks length (cm) -20	8	—	12	20
Hook refills	Order No. 9006 295 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 215 Hook length: 15 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 295 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 215 Hook length: 15 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 295 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 215 Hook length: 15 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 295 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 215 Hook length: 15 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box
EAN / GTIN consumer unit	 4 008496 737611	 4 008496 738052	 4 008496 737178	 4 008496 737635

If required, please contact your representative at VARTA Sales.

Metal Side Rail (hang-up)






Type	Set of 2 rails with 9 hooks per rail 9026 170 209 delivered empty	Set of 2 rails with 18 hooks per rail 9026 170 018 delivered empty
Order-No. / consumer unit	9026 170 209	9026 170 018
Height (cm)	115	115
Width (cm)	8	14
Hooks (incl.) per set	18	36
Hook length (cm)	20	20
EAN / GTIN consumer unit	 4 008496 186529	 4 008496 173258

If required, please contact your representative at VARTA Sales.

Metal Side Rail (hang-up)

METAL




Type	Set of 2 rails with 5 hooks per rail 9026 172 005 delivered empty	Set of 2 rails with 10 hooks per rail 9026 172 110 delivered empty	VARTA Metal Wall Display 1x24 9026 173 024 delivered empty
Order-No. / consumer unit	9026 172 005	9026 172 110	9026 173 024
Height (cm)	73	73	94
Width (cm)	8	18	36
Hooks (incl.) per set	10	20	24
Hook length (cm)	20	12	12
Hook refills	Order No. 9006 255 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9006 255 210 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box	Order No. 9026 173 024 Hook length: 10 cm Shipping unit: 20 pieces/box Order No. 9006 255 220 Hook length: 20 cm Shipping unit: 20 pieces/box
EAN / GTIN consumer unit	 4 008496 173769 7	 4 008496 186442 3	 4 008496 106163 1

If required, please contact your representative at VARTA Sales.

Display Basic Line

METAL




Type	Product basic display system for counter 9017 100 002	Product basic display system for counter 9017 100 006	Product basic display system for counter 9017 100 009	Floor placement 9017 200 040	Wall placement 9017 950 005
Order-No. / consumer unit	9017 100 002	9017 100 006	9017 100 009	9017 200 040	9017 950 005
Height (cm)	21	51	51	164	78.5
Width (cm)	18	24	31	40	10
Depth (cm)	19	18	22	36	13
Hooks (fix)	2	6	9	40	5
Hook length (cm)	16	17	20	20	12
EAN / GTIN consumer unit					

Basket FSDU



Type	Basket FSDU
Order-No. / consumer unit	9017 200 003
Height (cm)	170
Width (cm)	38
Depth (cm)	40
Baskets	3

EAN / GTIN
consumer unit

Shopper Basket FSDU




Type	Shopper Basket FSDU
Order-No. / consumer unit	—
Height (cm)	139
Width (cm)	54
Depth (cm)	46
Hooks	15

If required, please contact your representative at VARTA Sales.

Universal Product Display For Self-Service Stores

METAL





Type	Basic module 140 cm* 9000 120 036	Shelf height 160 cm 1 x 9000 120 036 + 1 x 9000 122 006	Shelf height 180 cm 1 x 9000 120 036 + 1 x 9000 121 018	Construction module 1 9000 121 018	Construction module 2 9000 122 006	EPOS/Barcode rails 9000 123 044	Light strip 9000 123 004
Order-No./ consumer unit	9000 120 036 * Incl. crowner sign	1 x 9000 120 036 + 1 x 9000 122 006	1 x 9000 120 036 + 1 x 9000 121 018	9000 121 018	9000 122 006	9000 123 044 Shipping unit: 4 scanning rails/ box	9000 123 004 Shipping unit: 4 light strips/ box
Height (cm)	140*	160	180	40	20	—	—
Width (cm)	57	57	57	57	57	57	57
Depth (cm)	44.5	44.5	44.5	—	—	—	—
Hooks (incl.)	6 hooked racks with 6 hooks each 2 EPOS/Barcode rails	6 hooked racks with 6 hooks each 2 EPOS/Barcode rails	6 hooked racks with 6 hooks each 2 EPOS/Barcode rails	3 hooked racks with 6 hooks each 2 EPOS/Barcode rails	1 hooked rack with 6 hooks	—	4 adjustable hooks
Hook length (cm)	25	25	25	25	25	—	25
EAN / GTIN consumer unit							

Flashlight Testing Station / Display System For Button Cells


PLASTIC

ON
DEMANDON
DEMAND

Type	Flashlight Testing Station for 5 flashlights 9026 930 005 delivered empty and without support for peg walls	Flashlight Testing Station big for 14 flashlights 9026 930 014 delivered empty and without support for peg walls
Order-No. / consumer unit	9026 930 005	9026 930 014
Height (cm)	13	13
Width (cm)	46	105
Depth (cm)	34.5	33.5
Support for peg walls	9026 700 002	9026 700 002

EAN / GTIN
consumer unit

Type	Support for peg walls
Order-No. / consumer unit	9026 700 002
Height (cm)	10
Width (cm)	80
Depth (cm)	29

EAN / GTIN
consumer unit

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

Recycling Bin / Display System For Button Cells



Type	Recycling Bin 9026 112 001
Order-No. / consumer unit	9026 112 001
Height (cm)	61
Width (cm)	25
Depth (cm)	19
Support for peg walls	—

EAN / GTIN
consumer unit



Type	Counter display for watch cells 9016 800 001
Order-No. / consumer unit	9016 800 001
Height (cm)	3.8
Width (cm)	28.7
Depth (cm)	21.8
Support for peg walls	—



If required, please contact your representative at VARTA Sales.

Clip Strips



CARD-BOARD



CARD-BOARD



PLASTIC

Type	Clip Strip Standard 976XX 112 XXX delivered garnished	Clip Strip Mega 976XX 112 XXX delivered garnished	Clip Strip (Plastic) 975XX 112 XXX delivered garnished
Order-No. / consumer unit	976XX 112 XXX (to fit 10 blister per clip strip) Size of clip strip: 80 x 840 Contains mostly 2 stripes (depending on garnishing)	976XX 112 XXX (to fit 10 blister per clip strip) Size of clip strip: 165 x 869 Contains 1 stripe	975XX 112 XXX (to fit up to 10 blister per clip strip) Size of clip strip: 65 x 822 Contains 1 stripe
	Feasible for AA, AAA, C, D, 9V Standard	Feasible for AA, AAA, C, D, 9V Standard and Mega	Feasible for Flashlights (97599 112 XXX) and Chargers (97589 112 XXX)





CARD-BOARD

Type	Clip Strip 976XX 112 XXX delivered garnished
Order-No. / consumer unit	976XX 112 XXX (to fit 10 blister per clip strip) Size of clip strip: 120 x 988 Contains mostly 2 stripes (depending on garnishing)
	Feasible for AA, AAA, C, D, 9V Standard

Clip Strips Plastic




Type	Clip Strip Empty 9050 112 010 delivered empty	Clip Strip Empty 9050 112 012 delivered empty
Order-No. / consumer unit	9050 112 010 (to fit 10 blister per clip strip) Size of clip strip: 120 x 960	9050 112 012 (to fit 10 blister per clip strip) Size of clip strip: 120 x 960
Clip Strip per packaging	10	2
Content: Blister per innercarton	—	—
Batteries per blister	—	—
Packaging size:		
Width (cm)	297	297
Height (cm)	138	138
Depth (cm)	300	300
Weight (g)	1019	389
EAN/GTIN consumer unit	 4 008496 798506	 4 008496 1800292

If required, please contact your representative at VARTA Sales.

Bulk Displays (Cardboard)



Type	Low cost bulk display empty 98000 112 811	Cardboard bulk display round / empty 98000 112 001
Order-No. / consumer unit	98000 112 811 (Dimensions for assembled displays)	98000 112 001 (Dimensions for assembled displays)
Height (cm)	80	105
Width (cm)	60	50
Depth (cm)	80	50
Weight (g)	4600	3300
EAN/GTIN consumer unit	 4 008496 166652	 4 008496 028726

If required, please contact your representative at VARTA Sales.





Product Display Unit Accessories

					
Type	Standard hook without bar	Standard hook with bar	Standard hook with bar	Standard hook with bar	Standard hook with bar
Order-No. / consumer unit	9006 255 210	9006 295 210	9006 255 215	9006 255 220	9006 255 225
Hook length (cm)	10	10	15	20	25
Shipping unit pieces / box	20	20	20	20	20
EAN/GTIN consumer unit					

				
Type	Scanning hooks	Scanning hooks	Peg wall hook	Peg wall hook
Order-No. / consumer unit	9006 256 220	9006 256 225	9026 257 225	9026 257 230
Hook length (cm)	20	25	25	30
Shipping unit pieces / box	30	30	100	100
Dimensions (cm)	5.2 x 4 Scanner bag	5.2 x 4 Scanner bag	—	—
EAN/GTIN consumer unit				

If required, please contact your representative at VARTA Sales.

Product Display Unit Accessories

				
Type	Hook shortener, plastic	Price flags, transparent	Price flags, transparent	Hook lock
Order-No. / consumer unit	9026 700 200	9000 033 005	9026 033 001	9016 700 001
Shipping unit pieces/box	100	100	100	10 pieces/poly bag
Dimensions (cm)	—	2.7 x 2.7	100 polybag / carton 100 pcs / polybag	5 x 2 x 3.5
EAN/GTIN consumer unit				

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

If required, please contact your representative at VARTA Sales.

Cardboard Displays



Type	Standard V40 Ready-To-Sell	Standard V60 Ready-To-Sell	Premium (Spearhead) P60 small Ready-To-Sell	Premium (Spearhead) P60 Ready-To-Sell
Order-No. / consumer unit	904xx 112 xxx	904xx 112 xxx	958xx 112 xxx	957xx 112 xxx
Height (cm)	175	175	138	175
Width (cm)	40	60	60	60
Depth (cm)	30	40	40	40
Hooks (incl.)	—	—	36 (20cm)	54 (20cm)
Facings per Tray	2 to 4	2 to 6	—	—
Trays	4 to 6	4 to 6	—	—



Type	Battery Shaped Counter Display Ready-To-Sell	Standard S60 T2 Ready-To-Sell	Standard S60 T3 Ready-To-Sell
Order-No. / consumer unit	935xx 112 xxx	983xx 112 xxx	982xx 112 xxx
Height (cm)	62	128	154
Width (cm)	25	60	60
Depth (cm)	19	40	40
Facings	6 (16cm)	24	36

If required, please contact your representative at VARTA Sales.

Cardboard Displays



Type	Standard S40 T2 NOT Ready-To-Sell	Standard S40 T3 NOT Ready-To-Sell
Order-No. / consumer unit	987xx 112 xxx	988xx 112 xxx
Height (cm)	123	148
Width (cm)	40	40
Depth (cm)	40	40
Facings	16	24



READY
TO SELL



Type	Battery Shaped Floor Display Ready-To-Sell	Modular M60 Ready-To-Sell	Counter Modular M60 Flashlight Charger	Counter Modular M60 Batteries
Order-No. / consumer unit	953xx 112 xxx	985xx 112 xxx	936xx 112 xxx	936xx 112 xxx
Height (cm)	176	168	32	46 (with crowner)
Width (cm)	60	60	58	58
Depth (cm)	40	40	38	38
Facings per Tray	32 (20cm)	6	—	6
Trays	—	1 to 4	—	—

If required, please contact your representative at VARTA Sales.

Cardboard displays



Type	Counter 1/2 Eco	Counter 1/1 Eco	Counter 1/1 Eco 5-facing
Order-No. / consumer unit	938xx 112 xxx	937xx 112 xxx	937xx 112 xxx
Height (cm)	28	28	28
Width (cm)	18	36	45
Depth (cm)	17	17	17
Facings	2	4	5

If required, please contact your representative at VARTA Sales.

Cardboard displays



Counter 2/1 Eco	Counter for Big Box 12	Counter Flashlight / Charger
939xx 112 xxx	937 112 xxx	933xx 112 xxx
43	25,5	44
36	24	28
29	30	37
8	–	2

If required, please contact your representative at VARTA Sales.

Cardboard Displays / Bulk Displays



Type	Tower Shelves Ready-To-Sell	Bulk Display Ready-To-Sell	Bulk Display Ready-To-Sell
Order-No. / consumer unit	989xx 112 xxx	959xx 112 xxx	959xx 112 xxx
Height (cm)	156	118	118
Width (cm)	60	60	60
Depth (cm)	40	40	40
Shelfes	3 or 4	—	—

If required, please contact your representative at VARTA Sales.

Bulk Displays



Type	Bulk Display Tray Ready-To-Sell	Bulk Display Ready-To-Sell	Bulk Display Ready-To-Sell
Order-No. / consumer unit	959xx 112 xxx	959xx 112 xxx	959xx 112 xxx
Height (cm)	118	118	118
Width (cm)	60	60	40
Depth (cm)	40	40	60
Facings per Tray	6	—	—



Type	Bulk Display Tray Ready-To-Sell	Bulk Display Ready-To-Sell	Bulk Display Ready-To-Sell
Order-No. / consumer unit	959xx 112 xxx	959xx 112 xxx	959xx 112 xxx
Height (cm)	118	118	118
Width (cm)	40	40	40
Depth (cm)	60	60	60
Facings per Tray	6	—	—

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

HEARING AID
BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY
SYSTEMSASSORTMENT
OVERVIEW

[illegible]

A woman with dark hair and glasses is shown in profile, holding a yellow pencil to her chin. She is looking at a computer screen. The screen displays a world map with some regions highlighted in green and yellow, and there is faint, illegible text in the background, possibly code or data. The overall lighting is dim with a blue tint.

New VARTA products

Always stay up to date online

Check out the latest
VARTA products online here:

www.varta-ag.com/en/productnews



Empowering Independence

Contact

VARTA Consumer Batteries GmbH & Co. KGaA
Alfred-Krupp-Str. 9
73479 Ellwangen, Germany
Tel.: +49 (0) 7961 83-0
E-Mail: info@varta-household.com

Representations and distributors
in all major countries worldwide.
Please see webpage.



Like us on Facebook.
www.facebook.com/varta.ag

VARTA Consumer Batteries GmbH & Co. KGaA is a company of VARTA AG.

www.varta-ag.com