

10 Ft. USB to Serial Converter

TU-S910 (v3.2R)

- Connect a RS-232 serial device, such as a switch, a modem, to a USB port on your computer
- 10 ft. / 3m cable for easy installation
- Supports USB 1.1, and compatible with USB 2.0 and USB 3.0 ports
- Supports Windows® and Mac® operating systems

TRENDnet's 10 Ft. USB to Serial Converter Cable, model TU-S910, allows users to conveniently connect an RS-232 serial device, such as a switch, modem or printer, to a USB port on your desktop PC or laptop. The 10 ft. USB to serial adapter supports both Windows® and Mac® operating systems. Integrated cables provide setup flexibility and accommodates most installation scenarios.



USB
The USB to serial adapter is compatible with USB 1.1, 2.0 and 3.0 devices.




RS-232 Serial Connector
Connect a RS-232 serial devices, such as switches, modems or printers, to standard USB ports on laptops and desktops.



10 Ft. Flexible Cable
Integrated and flexible 3m (10 ft.) USB cable accommodates most installation scenarios.

NETWORKING SOLUTION



Note: Cable length will vary on model
Note: Drivers can be downloaded from www.trendnet.com

FEATURES

Easy Setup
Simple installation in seconds

Long & Flexible Cable
Integrated and flexible 3m (10 ft.) USB cable accommodates most installation scenarios

RS-232
Connect a RS-232 serial devices, such as switches, modems or printers, to standard USB ports on laptops and desktops.

USB
The USB to serial adapter is compatible with USB 1.1, 2.0 and 3.0 devices.

Operating Systems
The USB to serial adapter is compatible with Windows® and Mac® operating systems

SPECIFICATIONS

Standards
- USB 1.1

Interface
- 1 x USB Type A
- 1 x RS-232 (9-pin) male
- Cable length: 3m (10 ft.)

Data Rate
- Up to 1Mbps

Supported OS
- Windows® 11, 10, 8.1, 8, 7
- Mac OS® 10.11, 10.10, 10.9, 10.8, 10.7, 10.6

Operating Temperature
- 0° – 40° C (32° – 104° F)

Operating Humidity
- Max. 85% non-condensing

Power
- USB powered

Power Consumption
- 500mA (max.)

Dimensions
- RS-232 connector: 65 x 35 x 10mm (2.55 x 1.4 x 0.4 in.)
- Cable length: 3m (10 ft.)

Weight
- 250g (8.82 oz.)

Certifications
- CE
- FCC

Warranty
- 2 year

Package Contents
- TU-S910
- Quick Installation Guide
- CD-ROM (Drivers)

All references to speed are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.