KAE5062

5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.



The kit includes: two Mini series door-entry phones art. 2702W, one transformer art. 1200, one Extra series external unit with 2 call buttons art. ET5002. The kit can be expanded with another door-entry phone for each user. The external unit can be surface-mounted or flush-mounted using the relevant accessories supplied with the kit.

AWARDS

KAE5062

5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.

PRODUCTS IN THE KIT



ET5002 **EXTRA 4+N. SERIES ENTRANCE PANEL KIT. 2 BUTTONS**

Extra series external unit with 2 call buttons. Stainless steel cover and white nameplate backlighting. Complete with flush-mounted box and wall bracket. Dimensions 95 x 135 x 6.5 mm (flush) - 25 mm (surface). 5-Wire cabling.

GENERAL DATA	
Width (mm)	95
Height (mm)	135
Depth (mm)	25
Flush-mounted	Yes
Wall-mounted	Yes

COMPATIBLE SYSTEMS	
Traditional	Yes

HARDWARE FEATURES	
Call type	Push-buttons
Type of buttons	Mechanical
Clamps	~* ~ 2 3 4 S1 S2

ENVIRONMENTAL AND COMPLIANCE FEATURES	
IP protection rating (with product installed)	IP54
IK vandal-resistance rating (with product installed)	IK07
Operating temperature (°C)	-25 ÷ 55
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	IV
Certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

The technical specifications are subject to change without prior notice.

KAE5062

5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.



2701W **1-BUTTON MINI DOOR-ENTRY PHONE, TRADITIONAL**

MINI series door-entry phone for traditional system with electronic call and key button. Dimensions: 105x191x28 mm

GENERAL DATA	
Width (mm)	103
Height (mm)	190
Depth (mm)	30
Product weight (g)	260
Product color	White
Wall-mounted	Yes
Desk base-mounted	Yes

COMPATIBLE SYSTEMS	
Traditional system	Yes

AUDIO FEATURES	
Microphone	4mm (Ø), Omnidirectional

ELECTRICAL CHARACTERISTICS	
Supply voltage	15÷16VDC

HARDWARE FEATURES	
Clamps	S 2 3 4 P1
Total buttons (n°)	1

ENVIRONMENTAL AND COMPLIANCE FEATURES	
IP protection rating (with product installed)	IP30
Operating temperature (°C)	-5 ÷ 40

GENERAL FEATURES

The technical specifications are subject to change without prior notice.

KAE5062

5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.

Absorption during call (mA)	0.42
Absorption during communication (mA)	0.35
Key button function	Yes
Loudspeaker volume control	Yes
Microphone volume control	Yes
Ringtone volume control	Yes
Audio system	Yes
Electronic bell	Yes

The technical specifications are subject to change without prior notice.

KAE5062

5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.



1200 **TRANSFORMER 10VA 0-230V/0-12V**

Transformer with 230V primary winding, 12V AC / 900 mA secondary winding for continuous use.Dimensions: 53x95x65 mm (3 DIN modules).

MAIN FEATURES	
Supply voltage	230 VAC
Applicable to DIN rail	Yes
Number of DIN modules (n°)	3
Max. current delivered (A)	0.9

GENERAL DATA	
Width (mm)	53
Height (mm)	95
Depth (mm)	65
Type of finishing materials	Plastic
Operating temperature (°C)	-5 ÷ 40

COMPATIBILITY	
Simplebus 2 audio/video system	Yes
Building Kit audio/video system	Yes
Simplebus 2 audio system	Yes
Simplebus 1 audio system	Yes
Vip system	Yes
Kit audio/video system	Yes
Traditional system	Yes
Semplified system	Yes

ELECTRICAL SPECIFICATIONS	
Maximum power delivered (W)	15

The technical specifications are subject to change without prior notice.

KAE5062

5-WIRE TWO-FAMILY AUDIO KIT. EXTRA-MINI.

ACCESSORIES



ET9150 **FLUSH-MOUNTED BOX FOR EXTRA ENTRANCE PANEL KIT**

Flush-mounted box for Extra series external unit art. ET5001 - ET5002 - ET0001. Dimensions: 134.5 x 93.5 x 25 mm



ET9160 **WALL BRACKET FOR EXTRA ENTRANCE PANEL KIT**

Wall housing for Extra series external unit art. ET5001 - ET5002 - ET0001. Dimensions: 94 x 134 x 19 mm



1229 **EXTENSION SOUNDER**

Additional bell for call repetition can be controlled directly from terminals S- and S+ of the brackets and/or from the telephones. Surfacemounted or on civil series 503 box. Dimensions: 110X75X29 mm.

The technical specifications are subject to change without prior notice.